*Brittonia*, 38(4), 1986, pp. 434–449.
© 1986, by the New York Botanical Garden, Bronx, NY 10458

# INDEX TO VOLUME 38

New names and combinations and the pages of publication are printed in **boldface**.

*Abies* 345; *concolor* 42; *religiosa* 345
*Acacia* 374, 388; *berlandieri* 7; *constricta* 7; *cornigera* 16
*Achyrocline* key 163
*Aciachne pulvinata* 165
Actinidiaceae 258
*Actinomeris* 366; *wrightii* 366
Additional notes on *Senna crassiramea, S. rigidicaulis,* and seeds of series *Aphyllae* (Caesalpiniaceae), by Lilia D. Bravo, María A. Agulló & Ramón A. Palacios 269–272
*Adenopodia* 222, 228; *patens* 228
Agaricales 260
*Agonandra brasiliensis* 390
AGULLÓ, MARÍA A. See Bravo, Agulló & Palacios 269–272
*Aiphanes* 65–70; *chocoensis* 65, 67; *leiospatha* 65–67; *macroloba* 65–70; *monostachys* 65–70; *simplex* 65
*Aiphanes macroloba* and *Aiphanes monostachys* (Palmae), by Rodrigo Bernal-González 65–70
*Albizia* 222
*Alchemilla: andina* 165; *nivalis* 167
*Alchornea latifolia* 235
Alder 134; European 134; hazel 134; mountain 134; seaside 134; speckled 134
*Alexa imperatricis* 373, 374, 377, fig. 381, 382, 388
*Alisma: andrieuxii* 327; *cordifolia* 325, 329; *grandiflorus* 330; *intermedium* 326; *macrophyllum* 331; *subalatum* 326; *tenellum* f. *latifolia* 326
Alismataceae 325–332
*Allium* 340, 406; *acuminatum* 247; *anceps* 247
*Allophylus rigidus* 235
*Alnus* 133–136, 139, 142, 143; *acuminata* subsp. *arguta* 345; *crispa* 134, var. *mollis* 139; *glutinosa* 134, figs. 135 & 140, 139; *incana* subsp. *rugosa* 134, 135, figs. 137 & 141, 139; *maritima* 134, 135, 139; *rugosa* 134, var. *americana* 139, f. *hypomalaca* 139, var. *rugosa* 139, f. *emersoniana* 139; *serrulata* 133, 134, 139, var. *serrulata* f. *noveboracensis* 139, var. *subelliptica* f. *mollescens* 139, f. *nanella* 139; *viridis* subsp. *crispa* 134
*Alzatea* 340–343; *verticillata* 340–343, map 341, subsp. *amplifolia* 340–343, map 341, fig. 342, subsp. *verticillata* 340, 341, map 341
Alzateaceae 340–343
Alzateaceae, a plant family new to Colombia, by Philip A. Silverstone-Sopkin & Shirley A. Graham 340–343
Amazon: Ecological inventory on the Rio Xingu 369–393
*Amelanchier* 186
*Ampelocera edentula* 392
*Ampelygonum perfoliatum* 396, 405
*Amphirrhox surinamensis* 377, 392, 393
*Amyris apiculata* 236
Anacardiaceae 386, 392
*Anacardium giganteum* 386
*Anadenanthera* 222
*Anaectocalyx* 154
Anatomy, floral, of *Oncotheca* 249–259
*Ancistrophora* 363, 366; *wrightii* 362, 363, 366
*Andropogon* 411–414, fig. 413; sect. *Leptopogon* 411, 413; *africanus* 412; *arenarius* 411, 412, fig. 413; *bicornis* 411, 412; *curvifolius* 412; *festuciformis* 413; *glaziovii* 411, 412, fig. 413; *huillensis* 411; *hypogynus* 411, 412; *incomptus* 413; *insolitus* 413; *lateralis* 411, 412, fig. 413; *lindmanii* 411, 412, fig. 413; *macrothrix* 411, 412; *ternarius* 411, 413; *ternatus* 412; *virgatus* 411–413; *virginicus* 413
*Anelsonia eurycarpa* 106
*Aniba* 388; *riparia* 388
Annonaceae 375, 386, 392
*Annona densicoma* 386
*Anogramma* 430
Anomodontaceae 48–54
*Antennaria* key 163
*Apeiba membranacea* 391
Apiaceae 145–149, 420–426; Seselineae 147
*Apium involucratum* 145
Apocynaceae 116, 386
*Apodanthera* 409
*Aptandra spruceana* 390
*Apuleia leiocarpa* 373, 377, var. *molaris* 388
Aquifoliaceae 13–16, 258
*Arabis: puberula* 247; *sparsiflora* var. *sparsiflora* 247
Araliaceae 386
*Arbutus* 344, 350; *glandulosa* 345; *spinulosa* 345; *xalapensis* 345, 346, 348
*Arctostaphylos* 344; *arbutoides* var. *costaricensis* 344; *conzattii* 348; *costaricensis* 344; *glabrata* 344, 348; *minor* 346; *novoleontis* 346, 347; *polifolia* 346; *pungens* 348, 350; *rupestris* 344, 345; *spinulosa* 344, 345, 347, 348
Arecaceae 55–70, 266–268, 375, 376, 391
*Aristolochia* 128–132; *acutifolia* 128, 129; **barbouri 128**, 129, fig. 129; **fosteri** 128, **129**–131, fig. 130; **hutchisonii** 128, **131**, fig. 131, 132; *macbridiana* 129; *pilosa* 132; *weberbaueri* 131, 132
Aristolochiaceae 82–85, 128–132
*Arthropogon* 71, 72, key 72; **bolivianus 71**, fig. 71, 72; *filifolius* fig. 71, 72; *lanceolatus* fig. 71, 72; *piptostachyus* fig. 71, 72; *scaber* 71, fig. 71, 72; *villosus* fig. 71, 72; *xerachne* fig. 71, 72
Ascomycetes 35–44
Ascomycota 35
*Asketanthera picardae* 236
Aspen, quaking 260
*Aspidosperma: amapa* 377, 386; *megalocarpum* 386
Asteraceae 1–3, 11, 32–34, 162–170, 362–368;

*Brittonia*, 38(4), 1986, pp. 434–449.
© 1986, by the New York Botanical Garden, Bronx, NY 10458

# INDEX TO VOLUME 38

New names and combinations and the pages of publication are printed in **boldface**.

*Abies* 345; *concolor* 42; *religiosa* 345
*Acacia* 374, 388; *berlandieri* 7; *constricta* 7; *cornigera* 16
*Achyrocline* key 163
*Aciachne pulvinata* 165
Actinidiaceae 258
*Actinomeris* 366; *wrightii* 366
Additional notes on *Senna crassiramea, S. rigidicaulis,* and seeds of series *Aphyllae* (Caesalpiniaceae), by Lilia D. Bravo, María A. Agulló & Ramón A. Palacios 269–272
*Adenopodia* 222, 228; *patens* 228
Agaricales 260
*Agonandra brasiliensis* 390
AGULLÓ, MARÍA A. See Bravo, Agulló & Palacios 269–272
*Aiphanes* 65–70; *chocoensis* 65, 67; *leiospatha* 65–67; *macroloba* 65–70; *monostachys* 65–70; *simplex* 65
*Aiphanes macroloba* and *Aiphanes monostachys* (Palmae), by Rodrigo Bernal-González 65–70
*Albizia* 222
*Alchemilla: andina* 165; *nivalis* 167
*Alchornea latifolia* 235
Alder 134; European 134; hazel 134; mountain 134; seaside 134; speckled 134
*Alexa imperatricis* 373, 374, 377, fig. 381, 382, 388
*Alisma: andrieuxii* 327; *cordifolia* 325, 329; *grandiflorus* 330; *intermedium* 326; *macrophyllum* 331; *subalatum* 326; *tenellum* f. *latifolia* 326
Alismataceae 325–332
*Allium* 340, 406; *acuminatum* 247; *anceps* 247
*Allophylus rigidus* 235
*Alnus* 133–136, 139, 142, 143; *acuminata* subsp. *arguta* 345; *crispa* 134, var. *mollis* 139; *glutinosa* 134, figs. 135 & 140, 139; *incana* subsp. *rugosa* 134, 135, figs. 137 & 141, 139; *maritima* 134, 135, 139; *rugosa* 134, var. *americana* 139, f. *hypomalaca* 139, var. *rugosa* 139, f. *emersoniana* 139; *serrulata* 133, 134, 139, var. *serrulata* f. *noveboracensis* 139, var. *subelliptica* f. *mollescens* 139, f. *nanella* 139; *viridis* subsp. *crispa* 134
*Alzatea* 340–343; *verticillata* 340–343, map 341, subsp. *amplifolia* 340–343, map 341, fig. 342, subsp. *verticillata* 340, 341, map 341
Alzateaceae 340–343
Alzateaceae, a plant family new to Colombia, by Philip A. Silverstone-Sopkin & Shirley A. Graham 340–343
Amazon: Ecological inventory on the Rio Xingu 369–393
*Amelanchier* 186
*Ampelocera edentula* 392
*Ampelygonum perfoliatum* 396, 405
*Amphirrhox surinamensis* 377, 392, 393
*Amyris apiculata* 236
Anacardiaceae 386, 392
*Anacardium giganteum* 386
*Anadenanthera* 222
*Anaectocalyx* 154
Anatomy, floral, of *Oncotheca* 249–259
*Ancistrophora* 363, 366; *wrightii* 362, 363, 366
*Andropogon* 411–414, fig. 413; sect. *Leptopogon* 411, 413; *africanus* 412; *arenarius* 411, 412, fig. 413; *bicornis* 411, 412; *curvifolius* 412; *festuciformis* 413; *glaziovii* 411, 412, fig. 413; *huillensis* 411; *hypogynus* 411, 412; *incomptus* 413; *insolitus* 413; *lateralis* 411, 412, fig. 413; *lindmanii* 411, 412, fig. 413; *macrothrix* 411, 412; *ternarius* 411, 413; *ternatus* 412; *virgatus* 411–413; *virginicus* 413
*Anelsonia eurycarpa* 106
*Aniba* 388; *riparia* 388
Annonaceae 375, 386, 392
*Annona densicoma* 386
*Anogramma* 430
Anomodontaceae 48–54
*Antennaria* key 163
*Apeiba membranacea* 391
Apiaceae 145–149, 420–426; Seselineae 147
*Apium involucratum* 145
Apocynaceae 116, 386
*Apodanthera* 409
*Aptandra spruceana* 390
*Apuleia leiocarpa* 373, 377, var. *molaris* 388
Aquifoliaceae 13–16, 258
*Arabis: puberula* 247; *sparsiflora* var. *sparsiflora* 247
Araliaceae 386
*Arbutus* 344, 350; *glandulosa* 345; *spinulosa* 345; *xalapensis* 345, 346, 348
*Arctostaphylos* 344; *arbutoides* var. *costaricensis* 344; *conzattii* 348; *costaricensis* 344; *glabrata* 344, 348; *minor* 346; *novoleontis* 346, 347; *polifolia* 346; *pungens* 348, 350; *rupestris* 344, 345; *spinulosa* 344, 345, 347, 348
Arecaceae 55–70, 266–268, 375, 376, 391
*Aristolochia* 128–132; *acutifolia* 128, 129; **barbouri 128**, 129, fig. 129; **fosteri** 128, **129**–131, fig. 130; **hutchisonii** 128, **131**, fig. 131, 132; *macbridiana* 129; *pilosa* 132; *weberbaueri* 131, 132
Aristolochiaceae 82–85, 128–132
*Arthropogon* 71, 72, key 72; **bolivianus 71**, fig. 71, 72; *filifolius* fig. 71, 72; *lanceolatus* fig. 71, 72; *piptostachyus* fig. 71, 72; *scaber* 71, fig. 71, 72; *villosus* fig. 71, 72; *xerachne* fig. 71, 72
Ascomycetes 35–44
Ascomycota 35
*Asketanthera picardae* 236
Aspen, quaking 260
*Aspidosperma: amapa* 377, 386; *megalocarpum* 386
Asteraceae 1–3, 11, 32–34, 162–170, 362–368;

Astereae 1–3; Heliantheae 32–34, 362–368; Inuleae 162–167; Gnaphaliinae 162
*Asterogyne* 309–311; *martiana* 309–311; *ramosa* 309–311; *spicata* 311; **yaracuyense 309–311**, fig. 310
*Astragalus* 427–429; *joergensenii* 429; *lentiginosus* 247; *micranthellus* 429; **neobarnebyanus 427–429**, fig. 428; *purshii* 247; *tiehmii* 106
*Astragalus neobarnebyanus* (Leguminosae): a new species from Peru, by Edith Gómez-Sosa 427–429
*Astrocaryum: mombaca* 373, 374, 391; *tucuma* 391
*Astronium lecointei* 386
Atlas of foliar surface features in woody plants, IX. Betulaceae of eastern United States, by James W. Hardin & John M. Bell 133–144
*Atriplex gmelinii* 78
*Bagassa guianensis* 389
BAIRD, RICHARD E. & SAEED R. KHAN, The stipitate hydnums (Thelephoraceae) of Florida 171–184
*Balboa* 302–304; *diversifolia* 302
*Balboa* (Fabaceae: Millettieae) reduced to *Cracca* (Robinieae), by Mario Sousa S. & Matt Lavin 302–304
*Balsamorhiza sagittata* 247
*Banara minutiflora* 15
*Bankera* key 171
*Banksia* 170, 359
BARNEBY, RUPERT C., A contribution to the taxonomy of *Piptadenia* (Mimosaceae) in South America 222–229
———, A correction: *Odontocarya* "*septemfida*" is a mixture of plants of two families 308
———.—book review of *A Guide to the Vegetation of Britain and Europe*, by Oleg Polunin & Martin Walters 351
———.—book review of *An Illustrated Guide to the Flowers of Saudi Arabia*, by Sheila Colenette 430–431
———.—book review of *Flora of Karnataka. Volume 1. Magnoliaceae to Fabaceae*, by Cecil J. Saldanha (& 7 assistant botanists) 118
———.—book review of *Flora of the Guianas. Series A: Phanerogams. Family 192. Musaceae (incl. 190. Strelitziaceae and 191. Heliconiaceae), 193. Zingiberaceae (incl. 194. Costaceae), and 195. Cannaceae*, by P. J. M. Maas 431–432
———.—book review of *Flora of Turkey and the East Aegean Islands. Volume 9*, by P. H. Davis assisted by R. R. Mill & Kit Tan 161
———.—book review of *Poisonous Plants of Pennsylvania*, by Robert J. Hill & Donna Folland 339
———.—book review of *The European Garden Flora. Volume I. Pteridophyta; Gymnospermae; Angiospermae—Monocotyledons (Part I): Alismataceae to Iridaceae*, edited by S. M. Walters, associates & contributors 406
———, Notes on some Mimosae (Leguminosae: Mimosoideae) of the Chihuahuan Desert akin to *M. zygophylla* 4–8
——— & DUANE ISELY, Reevaluation of *Mimosa biuncifera* and *M. texana* (Leguminosae: Mimosoideae) 119–122
BARRINGER, KERRY, New species of *Aristolochia* (Aristolochiaceae) from Peru 128–132
*Bauhinia: forficata* 388; *guianensis* 388; *ungulata* 377, 388
*Befaria sprucei* 103
*Begonia* 333–339; sect. *Gireoudia* 333, 334, 336, 338; sect. *Knesebeckia* 333; **breedlovei** 333, **336–338**, fig. 337; *caroliniifolia* 334; **chiapensis 333–335**, fig. 334; *crassicaulis* 334; *fusca* 338; *glandulosa* 334; *heracleifolia* 336; *hydrocotylifolia* 334; **jaliscana** 333, **335**, fig. 335, 336; *kortsiae* 338; *mexiae* 336; *nelumbiifolia* 334; *pinetorum* 334; *plebeja* 334, 336; *pycnantha* 235; *sericoneura* 334; *stigma* 336
Begoniaceae 333–339
*Beilschmiedia pendula* 235
BELL, JOHN M. See Hardin & Bell 133–144
*Belloa* 163, key 163; *longifolia* 165; *spathulifolia* 165; *turneri* 165
*Bellucia* 155, 157, 160, 238, 239
BERNAL-GONZÁLEZ, RODRIGO, *Aiphanes macroloba* and *Aiphanes monostachys* (Palmae) 65–70
——— & ANDREW HENDERSON, A new species of *Socratea* (Palmae) from Colombia with notes on the genus 55–59
*Berroa* 163
*Bertholletia excelsa* 371, 373, 377, fig. 381, 382, 388
*Besleria lutea* 235
*Betula* 133, 134, 136, 139, 141–143; *alba* 42, 134; *alleghaniensis* 134, figs. 135 & 137, 139, 141; *borealis* 134; *cordifolia* 134, 141; *glandulosa* 134; *lenta* 134, fig. 138, 141; *lutea* 134; *nigra* 134, 141; *papyrifera* 134, 141, var. *cordifolia* 134; *pendula* 134; *populifolia* 134, 139; *pubescens* 134; *pumila* 134, var. *glabra* 141, var. *glandulifera* 141, var. *pumila* 141; *uber* 133, 134, fig. 138, 141
Betulaceae 133–144; Betuleae 133, 134, 142, 143; Carpineae 142; Coryleae 133, 134, 142, 143
Bignoniaceae 386
Birch 134; dwarf 134; European weeping 134; European white 134; gray 134; mountain paper 134; northern 134; paper 134; river 134; swamp 134; sweet 134; Virginia roundleaf 134; yellow 134
*Biscutella* 86–88, key to subg. & sect. 87; subg. *Biscutella* 87, key 87; subg. *Jondraba* key 87, 88; subg. *Thlaspidium* 87; sect. *Biscutellae* 87, key 87; sect. *Jondraba* 86, 88; sect. *Laevigatae* 87, key 87; sect. *Lyratae* 87; sect. *Thlaspidium* 86, 87; subsect. *Laevigatae* 87; subsect. *Lyratae* 87; ser. *Laevigatae* 87; ser. *Lyratae* 87; *auriculata* 88; *didyma* 87; *laevigata* 86, 88
*Blakea monticola* 306
BOISE, JEAN. See Sherwood-Pike & Boise 35–44
Bombacaceae 375, 387
*Bombacopsis cowani* 387

BOOM, BRIAN M.—book review of *Plants in Indigenous Medicine and Diet. Biobehavioral Approaches,* edited by N. L. Etkin 307
Boraginaceae 104–106, 387
Botanical collections of Pierre-Émile Gounelle, by Alicia Lourteig 264–265
BOUFFORD, DAVID E. See Thomas & Boufford 27–31
*Bougainvillea* 113
*Bouvardia* 111–113; *bouvardioides* 111; **hintoniorum 111–113, fig. 112**; *leiantha* 111; *loeseneriana* 111; *standleyana* 111
*Bouvardia hintoniorum* (Rubiaceae), a new species from Guerrero, Mexico, by Billie L. Turner 111–113
*Brachyotum lindenii* 167
BRAKO, LOIS—book review of *Flora of New Zealand Lichens,* by D. J. Galloway 216
Brassicaceae 86–88
BRAVO, LILIA D., MARÍA A. AGULLÓ & RAMÓN A. PALACIOS, Additional notes on *Senna crassiramea, S. rigidicaulis,* and seeds of series *Aphyllae* (Caesalpiniaceae) 269–272
Brazil: *Andropogon* 411–414; *Erythroxylum* 189–200; *Vaccinium* 101–103
*Bromus* 161
BROOKS, RALPH E. & CAROL KUHN, Seed morphology under SEM and light microscopy in Kansas *Juncus* (Juncaceae) 201–209
*Brosimum guianensis* 389, 393
*Brunellia comocladiifolia* 235
**Bryonorrisia 48–54, 52; secunda 48, 52–54, fig. 53**
BUCK, WILLIAM R., A new species of *Selaginella* section *Articulatae* (Selaginellaceae) from Paraguay 45–47
———.—book review of *Introduction to Bryology,* by Wilfred B. Schofield 94–95
———. See Stark & Buck 48–54
*Buddleja interrupta* 33
*Bursera* 90, 347; *graveolens* 16
Burseraceae 387
BURT-UTLEY, KATHLEEN, Studies on Middle American *Begonia* (Begoniaceae) II 333–339
*Cabralea canjerana* 389
Cactaceae 265
Caesalpiniaceae (see also Leguminosae) 269–272
*Caladium* 96
*Calamus* 96
*Calliandra: houstoniana* 16; *houstonii* 360
*Calluna vulgaris* 44
*Calodon: alboniger* 179; *aurantiacus* 172; *caeruleum* 176; *cyaneotinctum* 176; *diabolus* 177; *fasciatus* 175; *zonatus* 175
*Calycogonium* 151, 154, 155, 157–160, 238, 239, 241; sect. *Calycogoniopsis* 155, 238; sect. *Calycogonium* 238; sect. *Eucalycogonium* 238; sect. *Krugiophytum* 155, 238; sect. *Pseudocalycogonium* 238; *apiculatum* 236; *calycopteris* 159, 235; *domatiatum* 159; *ekmanii* 159; *glabratum* 159; *grisebachii* 159; *heterophyllum* 159; *hispidulum* 159; *impressum* 159; *krugii* 155; *lindenianum* 159; *microphyllum* 159; *rhamnoideum* 159; *rhomboideum* 159; *rosmarinifolium* 159; *squamulosum* 155, 157, 238–242; *torbecianum* 159, 236; *turbinatum* 159
*Calyptrogyne* 66
*Campanula lasiocarpa* 78
CAMPBELL, CHRISTOPHER S. & PAULO G. WINDISCH, Chromosome numbers and their taxonomic implications for eight Brazilian andropogons (Poaceae: Andropogoneae) 411–414
CAMPBELL, DAVID G., DOUGLAS C. DALY, GHILLEAN T. PRANCE & UBIRAJARA N. MACIEL, Quantitative ecological inventory of terra firme and várzea tropical forest on the Rio Xingu, Brazilian Amazon 369–393
Canada, British Columbia: *Myriophyllum* 73–81
*Canavalia* 352; *maritima* 352; *rosea* 352
*Canna indica* 432
*Cardamine jamesonii* 167
*Carex* 161, 188, 317–324; subg. *Primocarex* 318, 319; sect. *Junciformes* 317, 321, 323; *andina* 323, var. *subabscondita* 317, 321, 322; *argentina* map 319, 321, 323, key 323; *atropurpureus* 165; **austroamericana** 317, **319–323**, fig. 320, map 321, key 323; *macrocephala* 78; *minutissima* 318, 321; *nelmesiana* 317, map 319, 321–323, key 323; *patagonica* 323, key 323; *pichinchensis* 167; *sanctae-marthae* 319; **transandina 317–319**, fig. 318, map 319; *vallis-pulchrae* 318, 321
Caricaceae 387
Carpinaceae 134, 142
*Carpinus* 133, 134, 136, 141–143; *caroliniana* 134, fig. 138
*Carpotroche brasiliensis* 388
Caryocaraceae 258
*Casearia* 388
*Cassia* 269; *aphylla* var. *divaricata* 270; *crassiramea* 269; *rigida* var. *inermis* 270; *rigidicaulis* 269
*Cassiope lycopodioides* 78
*Castilla ulei* 389
*Castilleja: chromosa* 247; *nana* 106; *salsuginosa* 106
*Catesbaea: phyllacantha* 16; *spinosa* 16
*Cavendishia callista* 103
*Ceanothus velutinus* 42
*Cecropia* 387; *leucocoma* 387; *obtusa* 387; *peltata* 235
Cecropiaceae 387
*Ceiba pentandra* 373, 374, 377, 387
Celastraceae 387
Celastrales 249, 258
*Cenostigma macrophyllum* 369, 372–374, 376–378, fig. 380, 382, 388
*Ceratozamia* 17–26, map 23, key 25–26; **euryphyllidia 17–25**, figs. 18–22, map 23, key 25; *hildae* 21–25, map 23, key 25; *kuesteriana* 22–26, map 23, key 26; *latifolia* 17, 21, 22, map 23, 25, key 25; *matudae* [*matudai*] 22–26, map 23, key 26; *mexicana* 22–26, map 23, key 26; *microstrobila* 21, 22, map 23, 25; *miqueliana* 20–25, map 23, key 25; *norstogii* 22–25, map 23, key 25; *robusta* 22–26, map 23, key 26; *zaragozae* 22–25, map 23, key 25

*Cercis canadensis* 347
CESKA, ADOLF. See O. Ceska, A. Ceska & Warrington 73–81
CESKA, OLDRISKA, ADOLF CESKA & PATRICK D. WARRINGTON, *Myriophyllum quitense* and *Myriophyllum ussuriense* (Haloragaceae) in British Columbia, Canada 73–81
*Cestrum* 11; *bicolor* 235, 236
*Chamaedorea:* subg. *Chamaedorea* 62; sect. *Chamaedoreopsis* 62; *deckeriana* 62; **macroloba 60**–62, fig. 61; *warscewiczii* 62
*Chamaesciadium* 149
*Chamaesium* 149
*Charianthus* 151, 154, 160
*Chaunochiton* 390
*Chevreulia* 163, key 163
Chihuahuan Desert: Mimosae 4–8
Chile: *Erigeron* 1–3
*Chimaphila maculata* 85
CHOLEWA, ANITA F.—book review of *Grasses of the Soviet Union,* by N. N. Tsvelev 332
———.—book review of *Plants of the Kimberley Region of Western Australia,* by R. J. Petheram & B. Kok, photos by E. Bartlett-Torr 59
———.—book review of *The Botany of the Commelins,* by D. O. Wijnands 187
Chromosome numbers and their taxonomic implications for eight Brazilian andropogons (Poaceae: Andropogoneae), by Christopher S. Campbell & Paulo G. Windisch 411–414
*Chrysanthemum* 362
Chrysobalanaceae 375, 387, 392
*Chrysophyllum auratum* 391
*Chrysothamnus* 39, 40; *nauseosus* 41, 247
CHURCHILL, STEVEN P.—book review of *Cladistics: Perspectives on the Reconstruction of Evolutionary History,* edited by T. Duncan & T. F. Stuessy 92–93
*Chylocalyx* 396; *perfoliatus* 396, 405; *senticosus* 396, 397, 405
Clarification of the status of *Hibiscus* (sect. *Furcaria*) *uncinellus* (Malvaceae), by Paul A. Fryxell & F. Douglas Wilson 107–110
*Clarisia ilicifolia* 389
*Clethra mexicana* 345
*Clidemia* 150, 151, fig. 153, 154–160, 239; sect. *Calophysoides* 155, 156, 159; sect. *Capitellaria* 156–158, 160; sect. *Clidemia* 150, 156–158, 160; sect. *Miconiopsis* 155, 159; sect. *Sagraea* 154, 155, 157, 159; sect. *Staphidium* 156; *campii* 156; *capitellata* 156; *collina* 156; *dentata* 156; *erythropogon* 156; *gracilis* 156, 157; *hirta* 156; *naevula* 156; *neglecta* 156; *octona* 156; *ombrophila* 156; *petiolaris* 156; *pittieri* 156; *pleiostemon* 156; *pterosepala* 159; *scopulina* 156; *semijuga* 156; *setosa* 156; *strigillosa* 156; *tetragonoloba* 159; *wrightii* 159
*Clusia* 387, 410; *clusioides* 235
Clusiaceae 341, 387, 392
*Coccoloba* 391, 393; *coronata* 374, 377, 391; *retirensis* 16
*Coccothrinax barbadense* 306
*Colchicum* 406
*Collomia* 243–248; sect. *Collomia* 245; *linearis* 243, 245–247, key 245; *macrocalyx* 243–247, key 245, map 246; **renacta 243**–247, fig. 244, key 245, map 246; *tinctoria* 243, 245–247, key 245, map 246
Colombia: Alzateaceae 340–343; Palmae 60–64; *Socratea* 55–59
*Colpoma* 38
*Comarostaphylis* 344–351, map 347; *arbutoides* 345, subsp. *arbutoides* 344, subsp. **costaricensis 344**, 345; *arguta* 348; *conzattii* 348; *costaricensis* 344; *discolor* 345, 348, subsp. *discolor* 345, 348, subsp. **rupestris** 344, **345**, map 347; *glabrata* 348; *glaucescens* 346; *longifolia* 350; *minor* 346, 347; *mucronata* 347; *polifolia* 344–347, subsp. *coahuilensis* 347, subsp. **minor** 344, **346**, 347, map 347, subsp. *polifolia* 347; *rupestris* 345; **spinulosa** 344, **347**, 348, subsp. **glandulifera** 344, map 347, **348**–350, fig. 349, subsp. **spinulosa** 345, **347**, map 347, 348, 350
Combretaceae 387
Compositae: See Asteraceae
*Conostegia* 154, 157, 160
CONSTANCE, LINCOLN. See Mukherjee & Constance 145–149
Contribution to the taxonomy of *Piptadenia* (Mimosaceae) in South America, by Rupert C. Barneby 222–229
*Copromya xylophagum* 42
*Cordia* 387; *exaltata* 387; *laevifrons* 387; *nodosa* 387; *panicularis* 387; *sylvestris* 387; *ucayaliensis* 387
*Coreopsis* 168–170; sect. *Pseudoagarista* 168–170; *mcvaughii* 168, 169; **queretarensis 168**, 169, fig. 169; *rudis* 168, 169; *senaria* 33
Cornaceae 186
*Cornus florida* 96
Corrections to *Forsstroemia* including *Bryonorrisia,* gen. nov. (Anomodontaceae), by Lloyd R. Stark & William R. Buck 48–54
*Cortia* 149
*Cortiella* 149
Corylaceae 134, 142
*Corylus* 133, 134, 136, 141–143; *americana* 134, figs. 138 & 140, 141, f. *missouriensis* 141; *cornuta* 134, fig. 137, 141
*Corypha* 96
Cottonwood 260–263
*Couepia: bracteosa* 387; *elata* 387
*Couratari multiflora* 388
*Coussapoa villosa* 392
*Cracca* 302–304; *caribaea* 302, 304; *diversifolia* 302; **pacifica 302**–304, fig. 303
*Crassula* 78; *aquatica* 78
*Crataegus* 27–31, 186; *ambigens* 29; *burkeana* 29; *confusa* 29; *fortunata* 29; *infensa* 29; *jenningsii* 29; *kinzerae* 29, 30; *laetans* 30; *lecta* 30; *leimonia* 30; *luxuriosa* 30; *medioxima* 30; *praestans* 30; *punctata* var. *microphylla* 30; *radina* 30, 31; *recordabilis* 31; *shaferi* 30, 31; *siderea* 31
*Cremolobus* 86
*Crepis modocensis* 247
*Crocus* 406
CRONQUIST, ARTHUR—book review of *A Flora*

*of San Diego County, California,* by R. Mitchel Beauchamp 242
———.—book review of *Guide to the Vascular Plants of the Florida Panhandle,* by Andre F. Clewell 188
———.—book review of *Physiological Ecology of North American Plant Communities,* edited by B. F. Chabot & H. A. Mooney 187–188
———.—book review of *The Vascular Plants of South Dakota,* by Theodore Van Bruggen 72
*Crotalaria* 352, 353; *angulata* 352; *linaria* 352; *maritima* 352; *rotundifolia* 352, var. *rotundifolia* 352, var. *vulgaris* 352
*Croton margaritense* 306
CROW, GARRETT E. See Hellquist & Crow 415–419
Cruciferae: See Brassicaceae
*Cryptantha* 104–106; sect. *Oreocarya* 104–106; *celosioides* 106; *nubigena* 104–106; *rugulosa* 105; **schoolcraftii 104**–106, fig. 105; *sobolifera* 104–106; *virginensis* 105; *welshii* 105
*Cryptantha schoolcraftii* (Boraginaceae), a new species of section *Oreocarya* from Nevada, by Arnold Tiehm 104–106
*Cryptomeria* 410
*Cuatrecasasiella* key 163
Cuba: *Ilex* 13–16; *Quiina* 13–16
Cucurbitaceae 407–410; Cucurbitoideae 409; Melothrieae 409; Dendrosicyoinae 409
*Cucurbitella* 409
*Culcitium canescens* 167
*Cyathea arborea* 306
Cyclanthaceae 19
*Cymopterus* 420–426; *aboriginum* map 423, 425, key 425; *bipinnatus* 420, 423–425; *cinerarius* map 423, 425, key 425; *douglassii* 424; **evertii 420**–425, fig. 421, map 423, key 425; *humboldtensis* 424; *nivalis* 420, map 423, 424, 425, key 425
*Cynomarathrum macbridei* 424
*Cynometra longicuspis* 374, 388, 392
Cyperaceae 210–215, 314–324
*Dalea* 352, 353; **adenopoda** 352, **353**; *carthagenensis* 353; *emarginata* 353; *lanata* 353; *pinnata* 353, var. *pinnata* 353, var. *trifoliata* 353
DALY, DOUGLAS C. See Campbell, Daly, Prance & Maciel 369–393
*Daphnopsis cubensis* 117
*Daubentonia* 357
*Delphinium andersonii* 247
*Dendropanax arboreus* 235
DENSLOW, JULIE SLOAN—book review of *Quantitative and Dynamic Plant Ecology,* Third edition, by Kenneth A. Kershaw & John Henry H. Looney 215
———.—book review of *Seed Ecology,* by Michael Fenner 12
*Dialium guianense* 388, 392
*Dichrostachys cinerea* 16
DICKISON, WILLIAM C., Further observations on the floral anatomy and pollen morphology of *Oncotheca* (Oncothecaceae) 249–259
*Didymopanax: morototoni* 386; *tremulum* 235
**Dieterlea 407**–410; **fusiformis 407**–410, fig. 408
*Dieterlea,* a new genus of Cucurbitaceae from Mexico, by Emily J. Lott 407–410
DIGGS, GEORGE M., JR., A new subspecies and new combinations in *Comarostaphylis* (Ericaceae) 344–351
Dilleniales 258
DILLON, MICHAEL O., A new species of *Flourensia* (Asteraceae: Heliantheae) from northern Peru 32–34
——— & ABUNDIO SAGÁSTEGUI ALVA, *Jalcophila,* a new genus of Andean Inuleae (Asteraceae) 162–167
*Diospyros ierensis* 387
*Dipholis cubensis* 235
*Dipteryx odorata* 388
*Disterigma empetrifolium* 167
*Distichia muscoides* 165
Distribution maps: *Alzatea verticillata* subspp. 341; *Carex: argentina* 321, *austroamericana* 321, *nelmesiana* 319, *transandina* 319; *Ceratozamia: euryphyllidia, hildae, kuesteriana, latifolia, matudae, mexicana, microstrobila, miqueliana, norstogii, robusta* & *zaragozae* 23; *Collomia: macrocalyx, renacta* & *tinctoria* 246; *Comarostaphylis: discolor* subsp. *rupestris, polifolia* subsp. *minor, spinulosa* subsp. *glandulifera,* subsp. *spinulosa* 347; *Cymopterus: aboriginum, bipinnatus, cinerarius, evertii* & *nivalis* 423; *Mimosa: borealis, turneri, unipinnata* & *zygophylla* 5; *Myriophyllum: quitense* & *ussuriense* 76; *Potamogeton* ×*haynesii* 418; *Solanum: abitaguense* 296, *amnicola* 296, *bellum* 296, *cucullatum* 296, *erosomarginatum* 275, *foetens* 278, *lasiocladum* 281, *lucens* 278, *malacothrix* 91, *mapiricum* 296, *ombrophilum* 275, *tanysepalum* 278, *tenuiflagellatum* 281, *turgidum* 281, *yanamouense* 296
*Dodonaea viscosa* 33, 347
*Dolichos: luteolus* 358; *maritimus* 352; *roseus* 352
*Duguetia: flagellaris* 392; *marcgraviana* 386
*Dulacia redmondii* 116
Ebenaceae 387
Ebenales 258
*Echinocaulon* 395; *perfoliatum* 396, 405
*Echinocaulos* 395; *perfoliatus* 396
*Echinodorus* 325–332; sect. *Longipetali* 327, 329; *andrieuxii* 326, 327, var. *longistylis* 326, 327; *argentinensis* 330; *bracteatus* 330, subsp. **efenestratus 330**, var. *efenestratus* 330; *cordifolius* 329, subsp. *cordifolius* 329, subsp. **fluitans 329**; *fluitans* 329; *glandulosus* 329; *grandiflorus* 330, subsp. **aureus 330**, var. *aureus* 330; *horizontalis* 327; *intermedius* 326; *latifolius* 326; *longipetalus* 327, fig. 328; *longistylis* 326, 327; *macrophyllus* 331, subsp. **scaber 331**; *ovalis* 329; **reticulatus** 325, **327**–329, fig. 328; *scaber* 331; *subalatus* 326, 327, subsp. **andrieuxii 327**; *tunicatus* 327
*Ekmaniocharis* 155, 157, 159, 230; *crassinervis* 230, 236
*Eleocharis acicularis* 78

*Epidendrum johnstonii* 306
*Epigaea repens* 85
*Equisetum fluviatile* 78
Ericaceae 101–103, 344–351; Arbuteae 344
Ericales 249, 258
*Erigeron* 1–3; sect. *Erigeron* 1; **campanensis 1–3**, fig. 2; *fasciculatus* 1, 3
*Eriogonum: argophyllum* 106; *caespitosum* 247; *kingii* 106
Erythroxylaceae 189–200, 375, 392
*Erythroxylum* 189–200, 392; sect. *Rhabdophyllum* 192, 195, 196, 198, 200; *andrei* 193; **bezerrae** 189, **196–198**, fig. 197; *citrifolium* 192, 193; *columbinum* 193; *distortum* 193; *passerinum* 193, 195, 196; **pauferrense** 189, figs. 191 & 194, 192, **193–196**; **simonis 189–193**, figs. 190 & 191; *suberosum* 198; *subrotundum* 192; *tenue* 192; **tianguanum** 189, **198–200**, fig. 199
*Eschweilera* 388
*Espeletia hartwegiana* 167
*Etballia guianensis* 374, 392
*Eugenia* 390; *christii* 236; *glabrata* 235; *wullschlaegeliana* 390
*Eupatorium* 235
Euphorbiaceae 116, 375, 384, 388, 392
*Euterpe* 64, 267, 268; sect. *Euterpe* 267; sect. *Euterpopsis* 267; sect. *Meteuterpe* 267; subsect. *Bothrostachys* 267; subsect. *Leiostachys* 267; *andicola* 268; *andina* 268; *brachyclada* 268; *brachyspatha* 268; *brevicaulis* 268; *carderi* 267; *chaunostachys* 268; *cuatrecasana* 64; *dasystachys* 268; *haenkeana* 268; *kalbreyeri* 64; *latisecta* 268; *macrospadix* 267; *oleracea* 374, 376, 391; *oocarpa* 64, 268; *purpurea* 64, 268; *simiarum* 268; *simplicifrons* 268; *williamsii* 268; *zephyria* 268
Fabaceae (see also Leguminosae) 118, 302–304, 360, 361; Millettieae 302–304; Robinieae 302–304
Fabroniaceae 48
*Facelis* 163, key 163
Fagaceae 142
*Fagopyrum perfoliatum* 396, 405
*Festuca* 161; *gracillima* 321
*Ficus: ernestiana* 389; *fagifolia* 390; *maximilliana* 390
FILGUEIRAS, TARCISO S., A new species of *Arthropogon* (Gramineae: Arthropogoneae) and a revised key for the genus 71–72
Flacourtiaceae 15, 388
Florida: stipitate hydnums 171–184
*Flourensia* 32–34, key to Peruvian spp. 34; *angustifolia* 34, key 34; **cajabambensis 32–34**, fig. 33, key 34; *leptopoda* 34; *macrophylla* key 34; *peruviana* 34, key 34; *polycephala* 34, key 34
*Forsstroemia* 48–54; *dixonii* 48, 51, 52; *filiformis* 48, 52; *indica* 49, 54; *japonica* 54; *leptodontoidea* 48, 49; *longiseta* 51; *rigida* 48, 49, 51, 54; *secunda* 48, 52, 54; *sinensis* 48
Four new species of *Erythroxylum* (Erythroxylaceae) from northeastern Brazil, by Timothy Plowman 189–200
*Franchetella anibaefolia* 391, 393
*Fraxinus* 136
*Fritillaria camschatcensis* 78
FRYXELL, PAUL A. & F. DOUGLAS WILSON, Clarification of the status of *Hibiscus* (sect. *Furcaria*) *uncinellus* (Malvaceae) 107–110
*Fuchsia* 348
Further observations on the floral anatomy and pollen morphology of *Oncotheca* (Oncothecaceae), by William C. Dickison 249–259
GADDY, LACY L., A new *Hexastylis* (Aristolochiaceae) from Transylvania County, North Carolina 82–85
*Galactia* 352–354; *brachypoda* 353, 354; *erecta* 354; *floridana* var. *microphylla* 354; **microphylla** 352, **354**
*Galax aphylla* 85
GALEANO-GARCÉS, GLORIA, Two new species of Palmae from Colombia 60–64
*Gamochaeta* key 163
*Garrya fadyenii* 235
*Gaultheria* 348, 350
*Gentianella chamuchui* 165
*Geonoma aulacophylla* 67
*Gesneria viridiflora* subsp. *acrochordonanthe* 236
*Gilia sinuata* 247
*Gladiolus* 406
*Gleditsia* 360, 361; *inermis* 360; *triacanthos* 360, 361, f. *inermis* 360
*Gloeocapsa* 36
*Gloeopyrenia* 36
*Glomeropitcairnia erectifolia* 306
*Glottidium* 357
*Gnaphaliothamnus* 163
*Gnaphalium* key 163
GÓMEZ-SOSA, EDITH, *Astragalus neobarnebyanus* (Leguminosae): a new species from Peru 427–429
GOODE, JEANNE—book review of *Dioscorides on Pharmacy and Medicine*, by John M. Riddle 305
Gounelle, Pierre-Émile 264–265
GRAHAM, SHIRLEY A. See Silverstone-Sopkin & Graham 340–343
Gramineae 71, 72; Arthropogoneae 71, 72
*Gratiola: ebracteata* 78; *neglecta* 78
GRIMES, JAMES W., New combinations in *Pediomelum* (Leguminosae: Psoraleeae) 185
*Guarea* 19, 389; *kunthiana* 389; *macrophylla* 373, 374, 377, 389
*Guatteria* 19; *chrysopetala* 386; *schomburgkiana* 373, 374, 377, 386
*Guazuma ulmifolia* 391
*Guettarda: ovalifolia* 235; *scabra* 306
*Gunnera magellanica* 167
*Gustavia* 388; *angusta* 388; *hexapetala* 377, 388, 392; *poeppigiana* 377, 388, 392
*Gymnanthes* 235
*Hakea* 96
HALLING, ROY E.—book review of *An Introduction to the Proteaceae of Western Australia*, by Alex S. George 359
———.—book review of *The Banksia Book*, by Alex S. George 170
———. See Ovrebo & Halling 260–263
Haloragaceae 73–81

Hamamelidales 143
*Hamulium* 362, 363; subg. *Ancistrophora* 362, 363; subg. *Euhamulium* 362, 363; *alatum* 363, 364; *wrightii* 363, 366
HARDIN, JAMES W. & JOHN M. BELL, Atlas of foliar surface features in woody plants, IX. Betulaceae of eastern United States 133–144
*Hargasseria cubana* 117
HARTMAN, RONALD L. & ROBERT S. KIRKPATRICK, A new species of *Cymopterus* (Umbelliferae) from northwestern Wyoming 420–426
*Haworthia* 406
HAYNES, ROBERT R. & LAURITZ B. HOLM-NIELSEN, Notes on *Echinodorus* (Alismataceae) 325–332
Hazelnut 134; American 134; beaked 134
*Heisteria* 390
*Heliconia* 94, 431; *bihai* 235; × *nickeriensis* 432
*Helicostylis pedunculata* 390
HELLQUIST, C. BARRE & GARRETT E. CROW, *Potamogeton* × *haynesii* (Potamogetonaceae), a new species from northeastern North America 415–419
*Helxine* 395; subg. *Belotrachis* 395, 396; subg. *Tasoba* 395, 396; *arifolia* 395–397, 405; *sagittatum* 396, 403, 405
HENDERSON, ANDREW, A new *Prestoea* (Palmae) from Panama, with notes on the genus 266–268
———. See Bernal-González & Henderson 55–59
——— & JULIAN A. STEYERMARK, New palms from Venezuela 309–313
*Henriettea* 155, 157, 159, 238, 239, 241; *acunae* 238, 240; *barkeri* 238–241, figs. 239 & 240; *elliptica* 238; *squamata* 238–241, figs. 239 & 240; **squamulosa** figs. 239 & 240, **240**, 241
*Henriettella* 151, 155, 157, 159, 238; *barkeri* 157, fig. 239, 240; *elliptica* 157, fig. 239, 240; *squamata* 157
*Herpetineuron* 52, 54
*Heteropterys atabapensis* 116
*Heterotrichum* 150, 151, fig. 152, 154, 156, 158, 160; *angustifolium* fig. 152, 156; *macrodon* 156; *porphyrotrichum* 156; *racemosum* 156; *rostratum* 156; *umbellatum* 156
*Hevea* 188, 371; *pauciflora* 374, 392
*Hexastylis* 82–85; *arifolia* 84, var. *arifolia* 84; *contracta* 82–84, fig. 84; *memmingeri* 82–84, fig. 84; **rhombiformis 82**–85, figs. 83 & 84; *virginica* 83, 84
*Hibiscus* 107–110; sect. *Furcaria* 107–110; *bicornis* 107; *bifurcatus* 107, 108, 110, var. *bicornis* 107, var. *pilosus* 107; *costatus* 110; *uncinellus* 107–110, fig. 109; *virginicus* 110
*Himatanthus attenuata* 386
*Hirtella* 387; *piresii* 373, 374, 377, 387; *tocantina* 377, 387; *triandra* 377, 387
Hispaniola: *Mecranium* 230–237
HOLM-NIELSEN, LAURITZ B. See Haynes & Holm-Nielsen 325–332
Hophornbeam 134; eastern 134
*Hormomitaria* 410
Hornbeam 134; American 134
*Hosta* 406
HOWARD, RICHARD A.—book review of *Leaves*, photographs by Kjell B. Sandved, text by Ghillean T. Prance 95–96
———, Notes on *Quiina* (Quiinaceae) and *Ilex* species (Aquifoliaceae) in Cuba 13–16
*Hydnellum* 171–178, keys 171 & 172; *alachuanum* 176; *aurantiacum* 172–175, key 172, fig. 173; *caeruleum* key 172, fig. 173, 176, 177; *chrysinum* key 172, fig. 173, 174, 175; *concrescens* key 172, fig. 173, 175, 176; *cyaneotinctum* 176; *diabolus* key 172, fig. 173, 177, 178; *earlianum* 174; *fasciatum* 175; *ferrugipes* 177; *floriforme* 172; *parvum* 175; *peckii* 178; *rhizopes* 177; *scrobiculatum* 175, 176, subsp. *zonatum* 175; *spongiosipes* key 172, fig. 173, 178, 179; *velutinum* var. *spongiosipes* 178, var. *zonatum* 175; *vespertilio* 175; *zonatum* 175, 176, f. *vespertilio* 175
*Hydnum: albonigrum* 179; *atroviride* 182; *aurantiacum* 172; *bambusinum* 182; *blackfordae* 182; *caeruleum* 176; *concrescens* 175; *cyaneotinctum* 176; *diabolus* 177; *fasciatum* 175; *floriforme* 172; *fumosum* 182; *scabrosus* 182; *spathulatum* 175; *spongiosipes* 178; *suaveolens* subsp. *H. caeruleum* 176, var. *caeruleum* 176, β *H. caeruleum* 176, 177; *suberosum* var. β *aurantiacum* 172; *vespertilio* 175; *zonatum* 175
Hydnums 171–184
Hydrophyllaceae 123–127
*Hymenaea courbaril* 388
*Hypericum laricifolium* 165
*Hypochoeris taraxacoides* 165
*Hypotrachyna* 216; *sinuosa* 216
*Ibervillea* 407, 409
*Icaria* 154
*Ilex* 13–16; *cassine* 13, 14; *celastroides* 14; *hypaneura* 15; *lanceolata* 13, 14; *ligustrina* 13, 14, var. *minutiflora* 15, f. *parvifolia* 15; *minutiflora* 14, 15; *nitida* 13, 15, var. *bahiahondica* 15; *occidentalis* 14; *parvifolia* 15; *repanda* 13, 15; **ternatiflora** 13, **15**; *vomitoria* 15; **walsinghamii** 13, **14**; *wrightii* 13, 14
India: Umbelliferae/Apiaceae 145–149
Infrageneric classification of *Biscutella* (Cruciferae), by J. Dele Olowokudejo 86–88
*Inga* 373, 374, 389; *calantha* 388; *capitata* 389; *edulis* 389; *micrantha* 306; *nobilis* 389
Instructions to contributors 97–100
*Iris* 406
ISELY, DUANE, Notes on Leguminosae: Papilionoideae of the southeastern United States 352–359
———. See Barneby & Isely 119–122
*Jacaranda copaia* 377, 386
*Jacaratia spinosa* 387
**Jalcophila 162**–167, key 163; **ecuadorensis** 162, key 163, **165**–167, fig. 166; **peruviana** 162, **163**–165, key 163, fig. 164, 167
*Jalcophila*, a new genus of Andean Inuleae (Asteraceae), by Michael O. Dillon & Abundio Sagástegui Alva 162–167
*Jondraba* 86, 88
JOYAL, ELAINE, A new species of *Collomia* (Polemoniaceae) from the Great Basin 243–248

JUDD, WALTER S. See Skean & Judd 230–237
———, Taxonomic placement of *Calycogonium squamulosum* (Melastomataceae: Miconieae) 238–242
———, Taxonomic studies in the Miconieae (Melastomataceae). I. Variation in inflorescence position 150–161
Juglandaceae 136, 139
Juncaceae 201–209
*Juncus* 201–209; subg. *Genuini* 201, 204, fig. 205, 207, 208; subg. *Graminifolii* 201, 202, 204, fig. 205, 207, 208; subg. *Poiophylli* 201, 204, fig. 206, 207, 208; subg. *Septati* 201–205, fig. 203, 207, 209; *acuminatus* 202, fig. 203, 204, 209; *balticus* 204, fig. 205, 208; *brachycarpus* fig. 203, 204, 209; *brachyphyllus* 204, fig. 206, 208; *bufonius* 204, fig. 206, 207, 208; *diffusissimus* 202, fig. 203, 204, 209; *dudleyi* 204, fig. 206, 207, 209; *effusus* 204, fig. 205, var. *solutus* 208; *interior* 204, fig. 206, 207, 209; *marginatus* 202, 204, fig. 205, 208; *nodatus* 202, fig. 203, 204, 209; *planifolius* 75; *scirpoides* 202, 204, fig. 205, 209; *tenuis* 204, fig. 206, 207, 209; *torreyi* 202, fig. 203, 204, 209; *validus* 202, 204, fig. 205, 209
*Juniperus* 39, 40; *flaccida* 347; *occidentalis* 40; *osteosperma* 422
*Kageneckia lanceolata* 33
KALLUNKI, JACQUELYN—book review of *Michigan Flora, Part II, Dicots (Saururaceae–Cornaceae)*, by Edward G. Voss 186–187
*Kalmia latifolia* 85
Kansas: *Juncus* 201–209
**Karnataka 145**–147; **benthamii 145**–147, fig. 146
**Kedarnatha** 145, **147**–149; **sanctuarii** 145, **147**–149, fig. 148
Keys: *Arthropogon* spp. 72; *Biscutella* subg. & sect. 87; *Carex argentina, austroamericana, nelmesiana & patagonica* 323; *Ceratozamia: euryphyllidia, hildae, latifolia, miqueliana, norstogii & zaragozae* 25, *kuesteriana, matudae, mexicana & robusta* 26; *Collomia linearis, macrocalyx, renacta & tinctoria* 245; *Cymopterus aboriginum, cinerarius, evertii & nivalis* 425; *Flourensia angustifolia, cajabambensis, macrophylla, peruvianus & polycephala* 34; *Hydnellum* spp. 172; Hydnums, stipitate (Florida) 171; Inuleae (Asteraceae) (Andes) 163; *Jalcophila ecuadorensis & peruviana* 163; *Lespedeza hirta* subspp. & vars. 354 & 355; *Lupinus westianus* vars. 356; *Mimosa: biuncifera & texana* 119, *borealis, turneri, unipinnata & zygophylla* 7; *Myriophyllum* spp. (British Columbia) 80; *Phellodon alboniger, implicatus & radicatus* 179; *Piptadenia adiantoides & peruviana* 227; *Polygonum senticosum* vars. 218; *Rhynchospora* sect. *Paniculatae* 316, subsect. *Longibracteatae* 212, 214; *Sarcodon atroviridis & scabrosus* 182; *Senna* ser. *Aphyllae* 270–272; *Solanum guzmanguense & simplicifolium* 11; *Vaccinium: pipolyi* 103, *puberulum* var. *hitchcockii* 102; *Verbesina* sect. *Verbesina* 363, 364; *Xylopezia* spp. 39
KHAN, SAEED R. See Baird & Kahn 171–184
*Kickxia* 430
*Killipia* 155
KIRKPATRICK, ROBERT S. See Hartman & Kirkpatrick 420–426
KNAPP, SANDRA, A new species of *Solanum* section *Geminata* (Solanaceae) from western Mexico 89–91
———, New species of *Solanum* section *Geminata* (Solanaceae) from South America 273–301
———. See Whalen, Sagástegui A. & Knapp 9–12
KRAL, ROBERT & WM. WAYT THOMAS, Two new species of *Rhynchospora* (Cyperaceae) from Mexico 210–215
KUHN, CAROL. See Brooks & Kuhn 201–209
*Kuhnistera: adenopoda* 353; *pinnata* 353
*Labatia macrocarpa* 391
*Lacmellea: arborescens* 386; *pygmaea* 116
*Lasiadenia* 114–118; "*cubensis*" 116; **ottohuberi 114**–117, fig. 115; *rupestris* 114, 116, 117
*Lasia fruticella* 48
Lauraceae 388
LAVIN, MATT. See Sousa S. & Lavin 302–304
*Leandra* 150, 154, 155, 157, 158, 160; sect. *Carassanae* 155; sect. *Chaetodon* 150, 155, 157, 158; sect. *Leandraria* 155; sect. *Niangae* 155; *solenifera* 151
Lecythidaceae 375, 384, 388, 392
*Lecythis* 388; *retusa* 373, 374, 377, 388
Leguminosae (see also Caesalpiniaceae; Fabaceae; Mimosaceae) 4–8, 116, 119–122, 185, 352–359, 374–376, 384, 388, 389, 392, 393, 427–429; Mimosoideae 4–8, 119–122; Papilionoideae 352–359; Mimosae 4–8; Psoraleeae 185
*Lemna* 96
*Leonia glycycarpa* 369, 374, 375, 392, 393
*Leptopterigynandrum* 52; **filiforme** 48, **52**
Leskeaceae 48, 52
*Lespedeza* 352, 354, 355, 410; *hirta* 354, var. *appressipilis* 354, subsp. *curtissii* 354, key 354, 355, var. **curtissii** 352, **354**, 355, key 355, subsp. *hirta* 354, key 354, 355, var. *hirta* 354, 355, key 355
*Leucopholis* 163
*Levierella* 52; *fabroniacea* 48, 51, 52, var. *abyssinica* 52; *perserrata* 52
*Licania: canescens* 392; *guianensis* 377, 387; *heteromorpha* 387
*Licaria* 388
*Lilium* 406
*Limonia* 135
*Limosella aquatica* 78
*Lindackeria latifolia* 377, 388
*Linodendron* 114, 116, 117; *angustifolium* 117; *aronifolium* 117; *cubanum* 117; *cubense* 117; *lagetta* 116, 117; *venosum* 117
*Liquidambar* 338
*Litsea ghatica* 118
*Llewelynia* 155, 160
*Lobelia: dortmanna* 76; *robusta* 235
*Loculoascomycetes* 38
*Lomatium: attenuatum* 423; *dissectum* var. *multifidum* 247; *vaginatum* 247

*Loreya* 155, 157, 160, 238
*Loricaria ferruginea* 165
LOTT, EMILY J., *Dieterlea*, a new genus of Cucurbitaceae from Mexico 407–410
LOURTEIG, ALICIA, The botanical collections of Pierre-Émile Gounelle 264–265
LOWREY, TIMOTHY K. See Valdebenito, Lowrey & Stuessy 1–3
*Lucilia* 162, 163, key 163
*Luehea* 391
*Lunaria mauritii* 235
*Lupinus* 352, 355, 356; *aridorum* 356; *cumulicola* 356; *diffusus* 356; *nuttallii* 355; *perennis* subsp. *gracilis* 355, subsp. *perennis* 355, var. *perennis* 355; *villosus* 356, subsp. *diffusus* 356, subsp. *villosus* 356; *westianus* 356, var. **aridorum** 352, **356**, key 356, var. *westianus* 356, key 356
LUTEYN, JAMES L., A new *Vaccinium* (Ericaceae) from Guayanan Brazil 101–103
———.—book review of *Flora Fanerogámica del Valle de México. Volumen II. Dicotyledoneae (Euphorbiaceae–Compositae)*, edited by Jerzy Rzedowski & Graciela C. Rzedowski 426
*Luzula gigantea* 167
*Mabea: caudata* 388; *frutescens* 116; *linearifolia* 116; *parguazae* 220
MACIEL, UBIRAJARA N. See Campbell, Daly, Prance & Maciel 369–393
*Macrolobium: angustifolium* 374, 389, 392; *savannarum* 116
Magnoliaceae 118
*Mahonia* 347
*Maianthemum dilatatum* 78
*Maieta* 155, 156, 159
*Malouetia tamaquarina* 386
Malpighiaceae 116
Malvaceae 107–110
*Mangifera* 135
*Maprounea guyanensis* 388
*Maquira sclerophylla* 390
*Matayba arborescens* 391
*Matisia* 373, 374, 387
*Maximiliana regia* 391
*Maytenus: aquifolium* 387; *erythrocarpus* 387; *notteana* 236
*Mecranium* 151, fig. 153, 155, 157, 159, 230–237, 239; *alpestre* 235, 236; *amygdalinum* fig. 153, 236; *haitiense* 236; *microdictyum* 236; **revolutum 230**–236, figs. 231, 232 & 234; *salicifolium* 235, 236; *torbecianum* 235, 236; *tricostatum* 235, 236; *tuberculatum* 236
*Megacarpaea* 86
Melanommataceae 35
Melanommatales 35
Melastomataceae 150–161, 230–242, 376, 393; Merianieae 159; Miconieae 150–161, 230–242
Meliaceae 375, 389, 393
*Meliosma recurvata* 235, 236
*Merremia* 308; *tuberosa* 308
*Metasocratea hecatonandra* 57, 58
*Mettenia* 388
Mexico: *Bouvardia* 111–113; *Ceratozamia* 17–26; *Coreopsis* sect. *Pseudoagarista* 168–170; *Dieterlea* 407–410; *Phacelia* 123–127; *Rhynchospora* 210–215; *Solanum* 89–91
*Mezilaurus itauba* 388
MICHENER, DAVID C., Phenotypic instability in *Gleditsia triacanthos* 360–361
*Miconia* 150, 151, fig. 152, 154, 156–160, 238; sect. *Octomeris* 150, 156, 158–160; *chionophila* 167; *delicatula* 159; *holosericea* 159; *laevigata* fig. 152, 235; *laevipilis* 156; *latifolia* 167; *macrodon* 156; *porphyrotricha* 156; *rigidissima* fig. 152; *schlimii* 159; *subcompressa* figs. 152 & 232, 235; *truncata* 159; *tuberculata* 156
*Microglaena* 36
Micropeltidaceae 36
*Micropholis: truncifolia* 393; *venulosa* 391
*Microphysca* 150, 154, 157, 158, 160
*Mimosa* 4–8, map 5, key 7, 119–122, 222, 347; ser. *Glanduliferae* 222; *aculeaticarpa* 122; *biuncifera* 119–122, key 119, fig. 121, var. *flexuosa* 120, var. *lindheimeri* 120, 121; *borealis* 4–8, map 5, fig. 6, key 7, 119, 120, var. *texana* 120–122; *caesalpiniifolia* 229; *depauperata* 120; *flexuosa* 120; *fragrans* 120; *lindheimeri* 119–121; *monancistra* 122; *myriadena* 222; *pithecolobioides* 222; *pringlei* 7, 8, 121; *tessmanii* 222, 229; *texana* 119–122, key 119, fig. 121; **turneri 4–8**, map 5, fig. 6, key 7; *unipinnata* 4–8, map 5, fig. 6, key 7; *warnockii* 119, 120, 122; *wherryana* 119–121; *zygophylla* 4–8, map 5, fig. 6, key 7
Mimosaceae (see also Leguminosae) 222–229; Mimoseae 222; Mimosae 222, 223
*Mimosopsis* 4, 120; *biuncifera* 120, 121; *flexuosa* 120; *lindheimeri* 120, 122; *wherryana* 121
*Minquartia guianensis* 390
*Miyabea fruticella* 48, 49
*Mniodes* key 163
*Mollia lepidota* 369, 374, 375, 393
*Mommsenia* 154, 159, 160
*Monactis* 11
*Monnina xalapense* 348
Moraceae 375, 384, 389, 390, 393
MORI, SCOTT A.—book review of *Biology*, by Peter H. Raven & George B. Johnson 229
———.—book review of *The Botany and Natural History of Panama*, edited by W. G. D'Arcy & Mireya D. Correa 93–94
*Moritzia lindenii* 167
*Mouriri* 393
MUKHERJEE, PRASANTA K. & LINCOLN CONSTANCE, Two new genera of Indian Umbelliferae/Apiaceae 145–149
*Musa* 431
Musaceae 431
*Mussaenda* 96
*Mycoglaena* 36; *lichenoides* 37; *reducta* 36
**Mycowinteria** 35, **36–44**; **anodonta** 35–**37**, fig. 37, 38
*Myrcia tiburoniana* 236
*Myriaspora* 155, 157, 160
Myricaceae 139

*Myriophyllum* 73–81, key to British Columbia spp. 80; *amphibium* 79; *aquaticum* 79, key 80; *brasiliense* 79, key 80; *elatinoides* 73, 75, key 80; *exalbescens* 73, 77, key 80; *farwellii* key 80; *heterophyllum* key 80; *hippuroides* 78, key 80; *isoetophyllum* 79; *magdalenense* 76, 77, 80; *pedunculatum* 79; *propinquum* 79; *quitense* 73–81, fig. 74, map 76, key 80; *sibiricum* 73, 75–77, key 80; *spicatum* 73, 77, key 80; *triphyllum* 75; *ussuriense* 73–81, fig. 74, map 76, key 80; *verrucosum* 79; *verticillatum* 73, 78, 79, key 80; *votschii* 79
*Myriophyllum quitense* and *Myriophyllum ussuriense* (Haloragaceae) in British Columbia, Canada, by Oldriska Ceska, Adolf Ceska & Patrick D. Warrington 73–81
Myristicaceae 384, 390
*Myrmidone* 150, 154, 157, 158, 160
*Myrsine coriacea* 235
Myrtaceae 384, 390, 393
Myrtales 340
*Naucleopsis* 390; *amara* 390; *glabra* 390; *macrophylla* 390
*Necramium* 154, 155, 159
*Nectandra* 388; *acutifolia* 388; *berchemifolia* 388; *coriacea* 235, 306; *cymbarum* 388; *glabrescens* 388; *lucida* 388
*Neea* 390; *altissima* 373, 374, 377, 390; *cauliflora* 377, 390; *glaziovii* 390; *macrophylla* 390; *ovalifolia* 390
*Neolindbergia* 51, 54; *deningeri* 51; *falcifolia* 51; *flagellifera* 51; **plicata** 48, **49**–51, fig. 50; *rigida* 49, 51; *robusta* 51; *rugosa* 51; *semitorta* 51
Nevada: *Cryptantha* 104–106
NEVLING, LORIN I., JR. See Plowman & Nevling 114–118
New combinations in *Pediomelum* (Leguminosae: Psoraleeae), by James W. Grimes 185
New *Hexastylis* (Aristolochiaceae) from Transylvania County, North Carolina, by Lacy L. Gaddy 82–85
New *Mecranium* (Melastomataceae) from Hispaniola, by James D. Skean, Jr. & Walter S. Judd 230–237
New palms from Venezuela, by Andrew Henderson & Julian A. Steyermark 309–313
New *Prestoea* (Palmae) from Panama, with notes on the genus, by Andrew Henderson 266–268
New *Rhynchospora* (Cyperaceae) from Cerro Pirre, Panama, by Wm. Wayt Thomas 314–316
New species of *Aristolochia* (Aristolochiaceae) from Peru, by Kerry Barringer 128–132
New species of *Arthropogon* (Gramineae: Arthropogoneae) and a revised key for the genus, by Tarciso S. Filgueiras 71–72
New species of *Ceratozamia* (Zamiaceae) from Veracruz, Mexico with comments on species relationships, habitats, and vegetative morphology in *Ceratozamia*, by Dennis Wm. Stevenson, Sergio Sabato & Mario Vázquez Torres 17–26
New species of *Collomia* (Polemoniaceae) from the Great Basin, by Elaine Joyal 243–248
New species of *Coreopsis* section *Pseudoagarista* (Asteraceae) from Mexico, by Billie L. Turner 168–170
New species of *Cymopterus* (Umbelliferae) from northwestern Wyoming, by Ronald L. Hartman & Robert S. Kirkpatrick 420–426
New species of *Erigeron* (Compositae: Astereae) from Chile, by Hugo Valdebenito, Timothy K. Lowrey & Tod F. Stuessy 1–3
New species of *Flourensia* (Asteraceae: Heliantheae) from northern Peru, by Michael O. Dillon 32–34
New species of *Lasiadenia* (Thymelaeaceae) from Venezuela, by Timothy Plowman & Lorin I. Nevling, Jr. 114–118
New species of *Peperomia* (Piperaceae) from Venezuela, by Julian A. Steyermark 220–221
New species of *Selaginella* section *Articulatae* (Selaginellaceae) from Paraguay, by William R. Buck 45–47
New species of *Socratea* (Palmae) from Colombia with notes on the genus, by Rodrigo Bernal-González & Andrew Henderson 55–59
New species of *Solanum* section *Geminata* (Solanaceae) from South America, by Sandra Knapp 273–301
New species of *Solanum* section *Geminata* (Solanaceae) from western Mexico, by Sandra Knapp 89–91
New species of *Solanum* section *Petota* (Solanaceae) from northern Peru, by Michael D. Whalen, Abundio Sagástegui A. & Sandra Knapp 9–12
New subspecies and new combinations in *Comarostaphylis* (Ericaceae), by George M. Diggs, Jr. 344–351
New *Vaccinium* (Ericaceae) from Guayanan Brazil, by James L. Luteyn 101–103
*Nolina* 347
Nomenclatural changes in *Polygonum* section *Echinocaulon* (Polygonaceae), by Chong-wook Park 217–219
Nomenclatural typifications in *Polygonum* section *Echinocaulon* (Polygonaceae), by Chongwook Park 394–406
North America: *Potamogeton* 415–419; *Trichoioma* 260–263
North Carolina: *Hexastylis* 82–85
Notes on *Echinodorus* (Alismataceae), by Robert R. Haynes & Lauritz B. Holm-Nielsen 325–332
Notes on Leguminosae: Papilionoideae of the southeastern United States, by Duane Isely 352–359
Notes on *Quiina* (Quiinaceae) and *Ilex* species (Aquifoliaceae) in Cuba, by Richard A. Howard 13–16
Notes on some Mimosae (Leguminosae: Mimosoideae) of the Chihuahuan Desert akin to *M. zygophylla*, by Rupert C. Barneby 4–8
*Nototriche lopezii* 165
Nyctaginaceae 375, 390

Ochnaceae 376, 393
*Ocotea opifera* 388
*Odontocarya* 308; *hastata* 308; *septemfida* 308
*Odontotrema* 35, 38; *anodontum* 37; *firmatum* 41; *hemisphaericum* 35, 38, 41; *inclusum* 42, subsp. *affine* 42; *majus* 42; *molle* 42; *subintegrum* 35, 38, 42, var. *macrosporum* 41; *xylophagum* 42
Odontotrematacaeae 35
*Oenocarpus* 268; *bacaba* 391; *disticus* 391
Olacaceae 116, 390
*Olmeca recta* 19
OLOWOKUDEJO, J. DELE, The infrageneric classification of *Biscutella* (Cruciferae) 86–88
OLSEN, JOHN, Revision of *Verbesina* section *Verbesina* (Asteraceae: Heliantheae) 362–368
*Oncotheca* 249–259; *balansae* 249–257, figs. 251, 253, 254 & 256; *macrocarpa* 249–252, 254–258, figs. 251 & 256
Oncothecaceae 249–259
*Onoseris gnaphalioides* 33
Opiliaceae 390
*Orbignya* 369, 372–374, 376, 377, 382, 391
*Orbilia* 38
*Oreopanax xalapensis* 348
*Orthrosanthus chimboracensis* 165
*Ossaea* 150, 151, fig. 153, 154, 155, 157–160, 238, 239; sect. *Bractearia* 155; sect. *Dichlemia* 154; sect. *Glaziophytum* 154, 155; sect. *Octopleura* 150, 155, 157, 158, 160; sect. *Ossaea* 154, 155; *acuminata* fig. 153, 154, 157; *angustifolia* 154; *asperifolia* 154; *barahonensis* fig. 153, 154; *brachystachya* 154; *capillaris* 154; *capitata* 154; *congestifolia* 154; *coriacea* 154; *curvipila* 154, 236; *elliptica* 154, 159; *glomerata* 154; *granulata* 154; *hirsuta* 154; *hirtella* 154; *hypoglauca* 154, 159; *involucrata* 154; *krugiana* 154; *lanata* 154; *lima* 154; *limoides* 154; *lomensis* 159; *marginata* 154; *microphylla* 154; *muricata* 154; *nipensis* 154; *pauciflora* 154; *petiolaris* 154; *pulverulenta* 154; *scabrosa* 154; *scalpta* 154; *setulosa* 154, 235, 236; *shaferi* 154; *verrucosa* 154, 159
Ostropales 35, 38
*Ostrya* 133–136, 141–143; *virginiana* 134, figs. 135, 138 & 140, f. *glandulosa* 141
*Ostryopsis* 133, 143
*Ouratea acuminata* 393
OVREBO, CLARK L. & ROY E. HALLING, *Tricholoma fulvimarginatum* (Tricholomataceae): a new species from North America associated with cottonwood 260–263
*Oxandra euneura* 386
*Pachyanthus* 151, 154, 157, 159, 160; *angustifolius* 159; *discolor* 159
PALACIOS, RAMÓN A. See Bravo, Agulló & Palacios 269–272
*Palicourea* 391
Palmae: See Arecaceae
Panama: *Prestoea* 266–268; *Rhynchospora* 314–316
*Paracryphia* 258
Paracryphiaceae 258
Paraguay: *Selaginella* 45–47
*Paranephelius uniflorus* 165
PARK, CHONG-WOOK, Nomenclatural changes in *Polygonum* section *Echinocaulon* (Polygonaceae) 217–219
———, Nomenclatural typifications in *Polygonum* section *Echinocaulon* (Polygonaceae) 394–406
*Patellaria inclusa* 42
*Patinoa paraensis* 387
*Pediomelum* 185; *megalanthum* var. **epipsilum 185**, var. **retrorsum 185**; **pariense 185**; *retrorsum* 185
Pennsylvania: C. S. Sargent's *Crataegus* types 27–31
*Peperomia* 220, 221, 235; **boomii 220**, 221, fig. 221; *lanceolato-peltata* 220, 221; *pseudodependens* 220; *turboënsis* 220
*Pernettya* 348, 350
*Persea* 388; *anomala* 235
*Persicaria* 395; sect. *Chylocalyx* 395, 396; sect. *Dissitiflorae* 395, 396; sect. *Echinocaulon* 395; *aestiva* 403; *americana* 403, 405; *anguillana* 403, 405; *biconvexa* 398, 405; *breviochreata* 402, 405; *bungeana* 404, 405; *debilis* var. *triangularis* 397, 405; *dichotoma* 400, 405; *dissitiflora* 396, 402, 405; *fauriei* 402, 405; *hastatoauriculata* 402, 405; *hastatosagittata* 401, 405; *maackiana* 398, 405; *meisneriana* 399, 405; *muricata* 401, 405; *nipponensis* 401, 405; *nipponica* 401, 405; *oreophila* 398, 405; *pedunculariis* 400, 405; *perfoliata* 396, 405; *praetermissa* 402, 405; *ramosa* 402, 405; *sagittata* 403, 405, var. *sieboldii* 403, 405; *senticosa* 396, 405; *sieboldii* 403, 405, var. *brevifolia* 403, var. *tomentosa* 403; *strigosa* 400, 405; *thunbergii* 398, 405, var. *oreophila* 398, 405, var. *stolonifera* 398, 405; *triangularis* 397, 405; *truellum* 396, 405; *ussuriensis* 401, 405
Peru: *Aristolochia* 128–132; *Astragalus* 427–429; *Flourensia* 32–34; *Solanum* 9–12
*Petalostemon* 353; *pinnatum* subsp. *trifoliatum* 353
*Peziza inclusa* 42, 43
*Phacelia* 123–127; subg. *Cosmanthus* 123; group *Crenulata* 123; *alba* 123, 125, 127; *coerulea* 123, 126; *congesta* 125; *coulteri* 123, 124, 126; **hintoniorum 123**, fig. 124; *laxa* 123, 127; **potosina** 123, **124**–127, fig. 125; *pulcherrima* 127; **zaragozana** 123, fig. 126, **127**
Phacidiales 38
*Phaeodon: atroviridis* 182; *aurantiacus* 172; *scabrosus* 182; *zonatus* 175
*Phaseolus: helvola* 357; *helvula* 357; *marinus* 358
*Phellodon* 171, keys 171 & 179, 179–181; *alboniger* fig. 173, 179, key 179, 180; *caeruleus* 176; *confluens* 181; *fasciatus* 175; *fibulatus* 180; *implicatus* 171, figs. 173 & 179, key 179, **180**, 181; *niger* 180, var. *alboniger* 179; *radicatus* fig. 173, key 179, 181; *tomentosus* 180, 181
*Phenax* 11
Phenotypic instability in *Gleditsia triacanthos* (Fabaceae), by David C. Michener 360–361
*Phyllacanthus grisebachianus* 16
*Phyllanthus myriophyllus* 235, 236

*Physalacria* 410; *cryptomeriae* 410
Physalacriaceae 410
*Phytophthora infestans* 11
*Picea* 38
*Pilea* 235; *distantifolia* 236; *torbeciana* 236
*Pilocereus gounellei* 265
*Pimpinella* 147; *involucrata* 145, 146
*Pinguicula* 96
*Pinus* 345, 348, 350; *cembra* 37, 41; *cembroides* 346; *flexilis* 422; *lambertiana* 42; *ponderosa* 42; *pseudostrobus* 345, 348, 350; *rigida* 260; *strobus* 84
Piperaceae 220, 221
*Piper: aduncum* 235; *hispidum* 235
*Piptadenia* 222–229; *adiantoides* 223, 224, 227, key 227, 228, var. *peruviana* 222, 226; **anolidurus 222**–226, fig. 225; **buchtienii** 222, **224**–226, fig. 225; **cuzcoënsis** 222, 224–**226**, fig. 225; *floribunda* 222, fig. 225, 227, 228; *fruticosa* 228; **imatacae** 222, fig. 225, **227**, 228; *killipii* 224, 226; *latifolia* 228; *micrantha* 228; *minutiflora* 228; *paniculata* 228; **peruviana** 222–**226**, fig. 225, 227, key 227; *stenadenia* 16; *uaupensis* 222, fig. 225, 228
*Piranhea trifoliata* 374, 388, 392
*Pithecellobium: cauliflorum* 374, 392; *corymbosum* 392; *latifolium* 392
*Pittosporum karnatakense* 118
*Pityrocarpa* sect. *Orthocraspedon* 222
*Planchonella pachycarpa* 391
*Platycentrum* 154, 160
*Platymiscium* 389
*Pleiochiton* 154, 160
Pleosporales 36
PLOWMAN, TIMOTHY, Four new species of *Erythroxylum* (Erythroxylaceae) from northeastern Brazil 189–200
——— & LORIN I. NEVLING, JR., A new species of *Lasiadenia* (Thymelaeaceae) from Venezuela 114–118
*Plumeria articulata* 386
Poaceae 161, 411–414; Andropogoneae 411–414
*Poa: fendleriana* 247; *sandbergii* 247; *scabrella* 247
Polemoniaceae 243–248
Pollen morphology of *Oncotheca* 249–259
Polygonaceae 217–219, 375, 391, 394–406
*Polygonum* 217–219, 394–406; subg. *Echinocaulon* 395; sect. *Cephalophilon* 395; sect. *Echinocaulon* 217–219, 394–406; sect. *Tracaulon* 396; subsect. *Echinocaulon* 395; *acanthophyllum* 399, 405; *anguillanum* 403, 405; *arifolium* 394–399, 405, var. *lentiforme* 399, 405, var. *pubescens* 399, 405; *asperulum* 401, 405; *assamicum* 217, 400, 405; *auriculatum* 400, 402, 405; *babingtonii* 396, 405; *belophyllum* 403, 405; *benguetense* 401, 405; *beyrichianum* 396, 399, 405; *biconvexum* 398, 405; *birmanicum* 402, 405; *brachypodum* 401, 405; *breviochreatum* 402, 405; *bungeanum* 404, 405; *cavaleriei* 401, 405; *chamissoeanum* 399, 405; *chamissonianum* 399, 405; *chanetii* 404, 405; **clarkei 217**, 400, 405; *darrissii* 218, 397, 405; *debile* 397, 405, var. *hastatum* 397, 398, 405; *dichotomum* 217, 396, 400, 405; *dissitiflorum* 395, 396, 402, 405; *fauriei* 402, 405; *geniculatum* 399, 405; *glabratum* 400, 405; *glanduliferum* 402, 405; *hastatoauriculatum* 395, 402, 405; *hastatosagittatum* 401, 405, var. *latifolium* 401, 405; *hastatotrilobum* 398, 405, var. *lenticulare* 398, 405; *hastatum* 397; *hispidulum* 400, 405; *horridum* 396, 400, 405; *imberbe* 400, 405; *javanicum* 400, 405; *korshinskianum* 401, 405; *maackianum* 398, 405; *meisnerianum* 396, 399, 405, var. *beyrichianum* 396, 399, 405, var. *jalapense* 399, 405, var. *meisnerianum* 399, 405, var. *setosum* 399, 405; *multangulare* 399, 405; *muricatum* 396, 400, 401, 405, var. *auriculatum* 402, 405, var. *glabratum* 400, 405; *nipponense* 401, 405; *oliganthum* 401, 405; *oreophilum* 398, 405; *pedunculare* 217, 396, 400, 405, var. *assamicum* 217, 400, 405, var. *lanceolatum* 400, 405, var. *latifolium* 400, 405, var. *subauriculatum* 400, 405, var. *subcordatum* 400, 405, var. *subsagittatum* 218, 404, 405; *pensylvanicum* 404, 405; *perfoliatum* 394–397, 405; *praetermissum* 217, 395, 402, 405; *pteropus* 398, 405; *refractum* 399, 405; *rubricaule* 403, 405; *sagittatum* 218, 394–396, 399, 400, 403, 405, var. *americanum* 403, 405, var. *boreale* 403, 405, var. *gracilentum* 403, 405, var. *hallaisanense* 403, 405, var. *indicum* 400, 405, var. *ovalifolium* 403, 406, var. *paludosum* 403, var. *pubescens* 399, 406, var. *sericeum* 403, var. *sibiricum* 403, 406, var. *sieboldii* 403, 406, var. *ussuriense* 401, 406; *sagittifolium* 397, 406; *senticosum* 218, 394–397, 406, var. **sagittifolium** 217, **218**, key 218, 397, 406, var. *senticosum* key 218, 396, 397, 406; *sieboldii* 403, 406; *stelligerum* 399, 406; *stoloniferum* 398, 406; *strigosum* 218, 396, 400, 401, 406, var. *benguetense* 401, 406, var. *hastatosagittatum* 401, 406, var. *horridum* 400, 406, var. *muricatum* 401, 406, var. *pedunculare* 400, 406, var. *rubrifolium* 401, 406; **subsagittatum** 217, **218**, 404, 406; *tetragonum* 400, 406; *thunbergii* 395–398, 406, var. *coreana* 397, 406, var. *hastatotrilobum* 398, 406, subvar. *eciliolatum* 402, 406, var. *maackianum* 398, 406, var. *oreophilum* 398, 406, var. *spicatum* 401, 406, var. *stoloniferum* 398, 406, var. *thunbergii* 397, 398, 406; *truellum* 396, 406; *turkheimii* 399, 406; *typhoniifolium* 396, 406; *ussuriense* 401, 406
*Polystichum scopulinum* 76
*Polyzygus* 147
*Populus* 135, 263; *deltoides* 260, 262; *tremuloides* 260
*Potamogeton* 415–419; × **haynesii 415**–419, fig. 416, map 418; *hillii* 417, 418; *longiligulatus* 415, 417–419; *ogdenii* 417; *richardsonii* 76; *strictifolius* 415, 417, 418; *zosteriformis* 417
*Potamogeton* × *haynesii* (Potamogetonaceae), a new species from northeastern North America, by C. Barre Hellquist & Garrett E. Crow 415–419
Potamogetonaceae 415–419
Potato 9, 11
*Pourouma substrigosa* 390

*Pouteria* 19, 391; *caimito* 391
PRANCE, GHILLEAN T.—book review of *Economic Botany: Plants in Our World,* by Beryl B. Simpson & Molly Conner-Ogorzaly 219
———.—book review of *La Caatinga du Sudest du Piaui (Brésil): Étude Ethnobotanique,* by L. Emperaire 113
———.—book review of *Oil Palms and Other Oilseeds of the Amazon,* by C. Pesce, translated and edited by Dennis V. Johnson 132
———.—book review of *Preservation of Timber in the Tropics,* edited by W. P. K. Findlay 188
———. See Campbell, Daly, Prance & Maciel 369–393
*Prestoea* 64, 266–268, 311–313; *acuminata* 268; *allenii* 268; *asplundii* 268; *carderi* 268; *cuatrecasasii* 268; **darienensis 266–268**, fig. 267; *decurrens* 62, 64, 268; *ensiformis* 268; **humilis** 309, **311–313**, fig. 312; *longepetiolata* 268, 311, 313; *megalochlamys* 268; *montana* 268; *pubens* 268; *pubigera* 63, 64, 268; *roseospadix* 268; *schultzeana* 268; *sejuncta* 268; **simplicifolia** 60, **62–64**, fig. 63; *steyermarkii* 268; *tenuiramosa* 268
*Prinos lanceolata* 14
Prionodontaceae 48
Proteaceae 359
*Protium* 387; *aracouchini* 377; *crenatum* 387; *opacum* 373, 374, 377, 387; *robustum* 387
*Protothelenella* 36
*Prunus: myrtifolia* 235; *occidentalis* 235
*Pseudentada* 222
*Pseudobombax septenatum* 387
*Pseudolmedia: laevis* 390; *murure* 390
*Pseudostictis inclusa* 42
*Pseudotyphula* 410
*Pseudyma frutescens* 391
*Psoralea: epipsila* 185; *mephitica* var. *retrorsa* 185; *pariensis* 185; *retrorsa* 185
*Psoroma* 216; *pholidotoides* 216
*Psychotria pubescens* 235
*Ptelea trifoliata* 347
*Pterigynandrum sinense* 48, 49
Quantitative ecological inventory of terra firme and várzea tropical forest on the Rio Xingu, Brazilian Amazon, by David G. Campbell, Douglas C. Daly, Ghillean T. Prance & Ubirajara N. Maciel 369–393
*Quararibea: guianensis* 377, 387; *ochrocalyx* 387
*Quercus* 21, 44, 174, 210, 345, 348, 350; *alba* 84; *brachystachys* 348, 350; *canbyi* 347; *coccinea* 260; *glaucoides* 347; *ilicifolia* 260; *laurina* 345; *prinopsis* 347; *rubra* 85; *rugosa* 345; *velutina* 260
*Quiina* 13–16; *paraensis* 391; *ternatiflora* 13–16
Quiinaceae 13–16, 391
*Radlkoferella macrocarpa* 377, 391
*Randia* 90
*Ranunculus:* subg. *Batrachium* 186; *peruvianus* 167; *reptans* 76, 78
*Raouliopsis* 163, key 163
*Ravenala* 431
Reevaluation of *Mimosa biuncifera* and *M. texana* (Leguminosae: Mimosoideae), by Rupert C. Barneby & Duane Isely 119–122
*Renealmia* 431; *densiflora* 236; *jamaicensis* var. *puberula* 235
Reviewers for volume 38 433
Revision of *Verbesina* section *Verbesina* (Asteraceae: Heliantheae), by John Olsen 362–368
*Rhamnus caroliniana* 96
*Rheedia: acuminata* 387; *barkeriana* 236; *brasiliensis* 387, 392
*Rhododendron maximum* 85
*Rhus: pachyrrachis* 347; *trilobata* 348
Rhynchocalycaceae 340
*Rhynchocalyx* 340
*Rhynchosia* 352, 357; *cinerea* 357; *difformis* 357; *latifolia* 357; *lewtonii* 357
*Rhynchospora* 210–215, 314–316; sect. *Dichromena* 212; sect. *Harveyae* 210; sect. *Paniculatae* 314, 316, key 316; sect. *Pluriflorae* 212; subsect. *Longibracteatae* 210, 212, keys 212 & 214; ser. *Cubenses* 214; ser. *Globulares* 214; ser. *Harveyae* 214; *albiceps* key 212; *argentea* 314, key 316; *colorata* 212; *consanguinea* 212, key 214; **durangensis** 210, fig. 213, **214**; *floridensis* 212; *hieronymi* key 316; *kuntzei* 314, key 316; *locuples* 314, 316, key 316; *longibracteata* key 212; *longiflora* 316; *macrochaeta* key 316; **oaxacana 210**, fig. 211, 212, key 212; **pirrensis 314–316**, fig. 315, key 316; *rigida* key 212; *speciosa* key 212; *umbraticola* 314, key 316; *warmingii* key 212
*Rhytidophyllum bicolor* 235
*Ribes hirtum* 167
*Richardella rivicoa* 391
*Rinorea juruana* 373, 374, 378, fig. 380, 392, 393
ROGERSON, CLARK T.—book review of *Fungal Biology,* by Harry J. Hudson 368
———.—book review of *Les Physalacriaceae du Globe (Hyménomycetales clavarioïdes),* by Jacques Berthier 410
———.—book review of *Microfungi on Land Plants. An Identification Handbook,* by Martin B. Ellis & J. Pamela Ellis 324
Rosaceae 27–31
*Rostkovia magellanica* 75
Rubiaceae 111–113, 391
*Rubus* 186; *parviflorus* 186
Rutaceae 391
SABATO, SERGIO. See Stevenson, Sabato & Vázquez Torres 17–26
SAGÁSTEGUI ALVA, ABUNDIO. See Dillon & Sagástegui Alva 162–167
———. See Whalen, Sagástegui A. & Knapp 9–12
*Sagraea* 157
*Salix* 36, 42
Sapindaceae 391
*Sapium* 388; *ciliatum* 388; *haitiense* 236; *lanceolatum* 388; *marmieri* 388
Sapotaceae 375, 391, 393
*Sarcodon* 171, keys 171 & 182, 181–183; *alachuanum* 176, 177; *atroviridis* fig. 173, 182,

key 182; *bambusinus* 182; *blackfordae* 182; *fumosus* 182; *scabrosus* fig. 173, 182, key 182, 183; *underwoodii* 183
Sargent, C. S. 27–31
Sargent's *Crataegus* (Rosaceae) types from western Pennsylvania, by Wm. Wayt Thomas & David E. Boufford 27–31
*Satyria panurensis* 103
Saururaceae 186
*Schizachyrium* 411
*Schultzia benthamii* 145
*Schulzia* 149
Scrophulariaceae 430
Seed morphology under SEM and light microscopy in Kansas *Juncus* (Juncaceae), by Ralph E. Brooks & Carol Kuhn 201–209
*Selaginella* 45–47; sect. *Articulatae* 45–47; **parviarticulata 45**–47, fig. 46
Selaginellaceae 45–47
*Selinia* 36
*Senecio: hotteanus* 237; *stenodon* 237
*Senna* 269–272; ser. *Aphyllae* 269–272, key 270–272; *acanthoclada* keys 270 & 272; *aphylla* subsp. *aphylla* key 272, subsp. **divaricata 270**, key 272; *chacoënsis* key 272; *crassiramea* 269–272, key 270; *fabrisii* key 270; *pachyrrhiza* key 272; *rigida* var. **inermis 270**, key 272, var. *rigida* key 271; *rigidicaulis* 269–272, key 270, fig. 271; *trichosepala* key 272
*Sesbania* 352, 357
*Seseli* 147
SHERWOOD-PIKE, MARTHA & JEAN BOISE, Studies in lignicolous ascomycetes: *Xylopezia* and *Mycowinteria* 35–44
*Shoshonea* 422; *pulvinata* 423
SILVERSTONE-SOPKIN, PHILIP A. & SHIRLEY A. GRAHAM, Alzateaceae, a plant family new to Colombia 340–343
*Simaba: cedron* 391; *cuspidata* 391
Simaroubaceae 391
*Simarouba amara* 391
*Siphula* 216
SKEAN, JAMES D., JR. & WALTER S. JUDD, A new *Mecranium* (Melastomataceae) from Hispaniola 230–237
*Socratea* 55–59; *exorrhiza* 58; **montana 55**–58, figs. 56 & 57; *rostrata* 57, 58
Solanaceae 9–12, 89–91, 273–301
*Solanum* 9–12, key 11, 89–91, 235, 273–301; sect. *Geminata* 89–91, 273–301; sect. *Petota* 9–12; ser. *Transaequatorialia* 11; ser. *Tuberosa* 11; **abitaguense** 273, **290**–292, fig. 291, 294, map 296; **amnicola** 273, **295**–298, map 296, fig. 297; *arboreum* 281; **bellum** 273, **294**, 295, fig. 295, map 296; *confine* 298, 299; **cucullatum** 273, 291, **292**–294, fig. 293, map 296; *daphnophyllum* 301; *diphyllum* 90; *dissimile* 275, 288; **erosomarginatum 273**–275, fig. 274, map 275, 288; **foetens** 273, **275**–278, fig. 276, map 278; **guzmanguense 9**–12, fig. 10, key 11; *hotteanum* 237; **lasiocladum** 273, **278**–280, fig. 279, map 281; *leptorhachis* 288; **lucens** 273, map 278, **280**–282, fig. 282; **malacothrix 89**–91, fig. 90, map 91, 280; **mapiricum** 273, map 296, **299**–301, fig. 300; *microdontum* 11, subsp. *gigantophyllum* 11; *monadelphum* 297, 298; *obovalifolium* 273, 290; **ombrophilum** 273, map 275, **282**–284, fig. 283, 286; *pastillum* 284; *ripense* 286; *robustifrons* 292; *silivicolum* 276; *simplicifolium* 9, 11, key 11; *symmetricum* 301; **tanysepalum** 273, map 278, **284**–286, fig. 285; **tenuiflagellatum** 273, map 281, **286**–288, fig. 287; *triplinervium* 295; *tuberosum* 11; **turgidum** 273, map 281, **288**–290, fig. 289; *venturii* 11; **yanamonense** 273, map 296, **298**, 299, fig. 299
*Sorocea: muriculata* 390, 393; *opima* 390
SOUSA S., MARIO & MATT LAVIN, *Balboa* (Fabaceae: Millettieae) reduced to *Cracca* (Robinieae) 302–304
South America: *Carex* 317–324; *Piptadenia* 222–229; *Solanum* sect. *Geminata* 273–301
*Sparganium: angustifolium* 76; *fluctuans* 76
*Sphenostemon* 258
Sphenostemonaceae 258
*Sphyrospermum cordifolium* 103
*Spondias mombin* 386
*Spongospora subterranea* 11
STARK, LLOYD R. & WILLIAM R. BUCK, Corrections to *Forsstroemia* including *Bryonorrisia*, gen. nov. (Anomodontaceae) 48–54
*Sterculia* 391; *elata* 391; *pruriens* 373, 374, 377, 391
Sterculiaceae 375, 391
STEVENSON, DENNIS WM., SERGIO SABATO & MARIO VÁZQUEZ TORRES, A new species of *Ceratozamia* (Zamiaceae) from Veracruz, Mexico with comments on species relationships, habitats, and vegetative morphology in *Ceratozamia* 17–26
STEYERMARK, JULIAN A., A new species of *Peperomia* (Piperaceae) from Venezuela 220–221
———.—book review of *Flora de la Isla Margarita, Venezuela*, by Jesus Hoyos F. 305–306
———. See Henderson & Steyermark 309–313
*Stictis: hemisphaerica* 38, 41, 42; *inclusa* 42
*Stipa ichu* 163, 165
Stipitate hydnums (Thelephoraceae) of Florida, by Richard E. Baird & Saeed R. Khan 171–184
*Streptomyces scabies* 11
*Streptopus streptopoides* 78
*Strophostyles* 352, 357; *helveola* 357; *helvola* 357; *helvula* 357
*Stuckertiella* key 163
Studies in lignicolous ascomycetes: *Xylopezia* and *Mycowinteria*, by Martha Sherwood-Pike & Jean Boise 35–44
Studies on Middle American *Begonia* (Begoniaceae) II, by Kathleen Burt-Utley 333–339
STUESSY, TOD F. See Valdebenito, Lowrey & Stuessy 1–3
*Subularia aquatica* 78
*Swartzia* 389; *arborescens* 389
*Synchytrium endobioticum* 11
*Tabebuia: aquatilis* 386; *chrysantha* 386; *conferta* 237

*Tabernaemontana* 386
*Tachigalia myrmecophila* 389
*Tapirira guianensis* 386
Taxonomic placement of *Calycogonium squamulosum* (Melastomataceae: Miconieae), by Walter S. Judd 238–242
Taxonomic studies in the Miconieae (Melastomataceae). I. Variation in inflorescence position, by Walter S. Judd 150–161
*Tephrosia* 302; *diversifolia* 302
*Tepion* 363; *alatum* 363, 364
*Tetrazygia* 151, 154, 159, 160
*Tetrazygiopsis* 154
*Thalictrum podocarpum* 33
Theaceae 249, 258; Ternstroemioideae 258
Theales 249, 258
Thelephoraceae 171–184
*Theobroma speciosum* 373, 374, 377, 391
*Therrya* 38
*Thibaudia: formosa* 103; *nutans* 103
Thimbleberry 186
*Thlaspidium* 86, 87
THOMAS, WM. WAYT, A new *Rhynchospora* (Cyperaceae) from Cerro Pirre, Panama 314–316
———.—book review of *Orchids of Guatemala and Belize,* by Oakes Ames & Donovan S. Correll 184
———. See Kral & Thomas 210–215
——— & DAVID E. BOUFFORD, C. S. Sargent's *Crataegus* (Rosaceae) types from western Pennsylvania 27–31
Three new species of *Phacelia* (Hydrophyllaceae) from Nuevo León, Mexico, by Billie L. Turner 123–127
Thuidiaceae 48
Thymelaeaceae 114–118
*Thyrsodium* 386
TIEHM, ARNOLD, *Cryptantha schoolcraftii* (Boraginaceae), a new species of section *Oreocarya* from Nevada 104–106
Tiliaceae 375, 391, 393
*Tococa* 150, 154, 157, 158, 160; *acuminata* 158; *caquetana* 158; *guianensis* 151; *stephanotricha* 158
*Tracaulon* 395, 396, 406; *arifolium* 396, 398, 406; *beyrichianum* 399, 406; *hastatotrilobum* 398, 406; *maackianum* 398, 406; *meisnerianum* 399, 406; *muricatum* 401, 406; *pedunculare* 400, 406; *perfoliatum* 396, 406; *praetermissum* 402, 406; *rubricaule* 403, 406; *sagittatum* 403, 406; *sibiricum* 403, 406; *sieboldii* 403, 406; *stelligerum* 399, 406; *strigosum* 400, 406; *tetragonum* 400, 406; *thunbergii* 397, 406
*Trachydium* 149
*Trachyspermum* 147; *roxburghianum* 145
*Trema micrantha* 235
*Trematosphaeria* 35, 36; subg. *Winteria* 37, 41; *excellens* 41; *lichenoides* 37
*Trichilia* 373, 374, 377, 389, 393; *havanensis* 235; *quadrijuga* 377, 389; *septentrionalis* 389
*Tricholoma* 260–263; subg. *Tricholoma* 260, 263; sect. *Genuina* 260, 263; **fulvimarginatum 260**–263, figs. 261 & 262; *maculatipes* 263; *populinum* 263
*Tricholoma fulvimarginatum* (Tricholomataceae): a new species from North America associated with cottonwood, by Clark L. Ovrebo & Roy E. Halling 260–263
Tricholomataceae 260–263
*Truellum* 394, 395, 406; sect. *Truellum* 395; *arifolium* 398, 406; *benguetense* 401, 406; *biconvexum* 398, 406; *breviochreatum* 402, 406; *darrissii* 218, 397, 406; *debile* 397, 406; *dichotomum* 400, 406; *hastatoauriculatum* 402, 406; *hastatosagittatum* 401, 406; *japonicum* 394–397, 406; *korshinskianum* 401, 406; *maackianum* 398, 406; *meisnerianum* 399, 406; *muricatum* 401, 406; *nipponense* 401, 406; *oreophilum* 398, 406; *perfoliatum* 396, 406; *praetermissum* 402, 406; *rubricaule* 403, 406; *sagittatum* 403, 406; *senticosum* 396, 406; *sibiricum* 403, 406; *sieboldii* 403, 406; *stelligerum* 399, 406; *strigosum* 400, 406; *thunbergii* 398, 406
*Trymatococcus amazonicus* 390
*Tsuga canadensis* 84
*Tulipa* 406
*Tumamoca* 407, 409
TURNER, BILLIE L., A new species of *Coreopsis* section *Pseudoagarista* (Asteraceae) from Mexico 168–170
———, *Bouvardia hintoniorum* (Rubiaceae), a new species from Guerrero, Mexico 111–113
———, Three new species of *Phacelia* (Hydrophyllaceae) from Nuevo León, Mexico 123–127
*Turpinia picardae* 235
Two new genera of Indian Umbelliferae/Apiaceae, by Prasanta K. Mukherjee & Lincoln Constance 145–149
Two new species of *Carex* (Cyperaceae) from austral South America and additional taxonomic and phytogeographical notes on the genus, by Gerald A. Wheeler 317–324
Two new species of Palmae from Colombia, by Gloria Galeano-Garcés 60–64
Two new species of *Rhynchospora* (Cyperaceae) from Mexico, by Robert Kral & Wm. Wayt Thomas 210–215
Ulmaceae 392
Umbelliferae: See Apiaceae
*Ungnadia speciosa* 347
United States: Betulaceae 133–144; Leguminosae 352–359
*Unonopsis guatterioides* 386, 392
*Urbanella excelsa* 391
Urticaceae 11, 392
*Utricularia* 96
*Vaccinium* 42, 101–103, 348, 350; sect. *Neurodesia* 102; **pipolyi 101**–103, fig. 102, key 103; *puberulum* var. *hitchcockii* 101, 102, key 102, var. *puberulum* 103
VALDEBENITO, HUGO, TIMOTHY K. LOWREY & TOD F. STUESSY, A new species of *Erigeron* (Compositae: Astereae) from Chile 1–3
VÁZQUEZ TORRES, MARIO. See Stevenson, Sabato & Vázquez Torres 17–26
Venezuela: *Lasiadenia* 114–118; palms 309–313; *Peperomia* 220, 221

*Verbesina* 362–368; sect. *Hamulium* 362, 363; sect. *Lipactinia* 362; sect. *Ochractinia* 362; sect. *Pseudomontanoa* 362; sect. *Pterophyton* 362; sect. *Sonoricola* 362; sect. *Verbesina* 362–368, key 363, fig. 364; sect. *Ximenesia* 362, 363; *alata* 362–367, fig. 364, var. *alata* 363–365, key 363, 367, var. *genuina* 364, var. *hispida* 363, key 363, 365, 366; *domingensis* 363, fig. 364, key 364, 366, 367; *encelioides* 363; *lindheimeri* 366; *litoralis* 366; *rothrockii* 366; *wrightii* 362, 363, fig. 364, key 364, 366, 367
*Vernonia saepium* 237
*Vigna* 352, 358; *luteola* 358; *marina* 358; *repens* 358
Violaceae 375, 392, 393
*Viola glandulifera* 167
*Virola* 390; *surinamensis* 390
*Vochysia* 210
*Wallenia ekmanii* 237
WARRINGTON, PATRICK D. See O. Ceska, A. Ceska & Warrington 73–81
*Warszewiczia* 96
Water-milfoil, Eurasian 73
*Weinmannia pinnata* 235
*Werneria nubigena* 165
WHALEN, MICHAEL D., ABUNDIO SAGÁSTEGUI A. & SANDRA KNAPP, A new species of *Solanum* section *Petota* (Solanaceae) from northern Peru 9–12
WHEELER, GERALD A., Two new species of *Carex* (Cyperaceae) from austral South America and additional taxonomic and phytogeographical notes on the genus 317–324
WILSON, F. DOUGLAS. See Fryxell & Wilson 107–110
WINDISCH, PAULO G. See Campbell & Windisch 411–414
WINGFIELD, ROBERT, A correction: *Odontocarya "septemfida"* is a mixture of plants of two families 308
*Winteria* 35, 36; *excellens* 35, 41; *lichenoides* 35–37
*Wolffia* 96
Wyoming: *Cymopterus* 420–426
*Xylographa hemisphaerica* 41
*Xylopezia* 35–44, key 39; **biseptata** 35, 36, **39–41**, fig. 39, key 39; **excellens** 35, key 39, **41**; **hemisphaerica** 35, key 39, fig. 40, **41–43**; **inclusa** 35, key 39, **42–44**, fig. 43
*Xylopia nitida* 386
Zamiaceae 17–26
*Zamia gutierrezii* 16
*Zanthoxylum* 90, 391; *haitiense* 237; *rhoifolium* 391
*Zignoella: excellens* 41; *lichenoides* 37
Zingiberaceae 431

## Statement of Ownership, Management, and Circulation

Publication title and number: *Brittonia* (0007196X). Date of Filing: 22 September 1986. Frequency of issue: quarterly. Annual subscription price: $40.00. Office of publisher: New York Botanical Garden, Bronx, NY 10458-5126. Editor: Noel H. Holmgren. Managing editor: Patricia K. Holmgren. *Brittonia* is wholly owned by the New York Botanical Garden with no bond holders. The purpose, function, and nonprofit status of the Garden and its tax exempt status for Federal income tax purposes remains the same as in past years. The press run for each issue is 1100, of which (just prior to the filing date) 820 copies were mailed as paid circulation, and 10 were mailed as free distribution, leaving 270 copies for office use and back-issue sales. I certify that these statements are correct and complete. Patricia K. Holmgren, Managing editor.

[BRITTONIA for October–December 1986 (38: 309–449) was issued 31 December 1986]